



MS-900 SELF-ADHESIVE DUCT MARKERS

Technical Data



Description

MS-900 self-adhesive duct markers are premium grade vinyl with an acrylic pressure-sensitive adhesive. They are used to provide indoor service designations and system color-coding. Individual attached arrow markers are used with duct markers to indicate direction of flow.

Physical and Chemical Characteristics

Film:	.0032" (0.0812 mm) thick PVC
Adhesive:	Permanent pressure-sensitive acrylic
Application Temperature:	+50°F (10°C)
Service Temperature Range:	-50°F to +180°F (-45°C to 82°C)
Storage Stability:	Two years when stored at +73°F (22°C) and 50% relative humidity
Water Resistance:	Excellent
Chemical Resistance:	Resistant to acids, alkalies and salts
UV Resistance:	Good

Label Sizes and Letter Heights

Marker Size	Pipe Diameter	Marker Style	Color Field	Letter Height
1" x 8"	3/4" – 2-1/4"	A	8" long	3/4"
2-1/4" x 13"	2-1/2" – 7-7/8"	B	13" long	1-3/4"
4" x 24"	8" – 10"	C	24" long	2-1/2"
4" x 32"	Over 10"	D	32" long	3-1/2"

Information on physical and chemical characteristics is based on tests we believe to be reliable. The values are intended only as a source of information and are given without guarantee and do not constitute a warranty. Purchasers should independently determine, prior to use, the suitability of this material for their specific application.

Created on 1/18/2012

