



## MS-970 COILED VINYL ISOLATION SLEEVES

Technical Data



### Description

MS-970 coiled vinyl isolation sleeves are designed to prevent vibration and contact between metals to avoid galvanic action (electrolysis) in a wide variety of environments. No preparation of the pipe surface is required for application. Colors are sub-surface printed so they are protected by a layer of vinyl.

All MS-970 coiled vinyl isolation sleeves are manufactured using material which has been independently tested and meets the requirements of UL-94 classification V-0 for self-extinguishing materials.

They are available in a variety of sizes and colors both pre-coiled and flat.

- Ideal for rusty, dirty or sweating pipes where adhesives cannot be used.
- No pipe surface preparation needed.
- Coiled construction quickly snaps around pipe.
- Sleeves can be removed during line maintenance, then re-installed.
- Standard and custom sizes available.

### Physical and Chemical Characteristics

<b>Material:</b>	20 mil .020" (0.508 mm) Vinyl Service
<b>Temperature Range:</b>	-40°F to 160°F (+40°C to 71°C)
<b>Water Resistance:</b>	Excellent
<b>Chemical Resistance:</b>	Alkalis; Mildew: Good
<b>Application:</b>	Recommended for indoor use only

*Information on physical and chemical characteristics is based on tests we believe to be reliable. The values are intended only as a source of information and are given without guarantee and do not constitute a warranty. Purchasers should independently determine, prior to use, the suitability of this material for their specific application.*

Revised on 12/19/2019

