

At MSI, we take a comprehensive approach to process labeling and marine and offshore signage. Our products are made to stand up under the harsh offshore environment. Our clients count on MSI for professional installation services and prompt delivery worldwide.

CORPORATE HEADQUARTERS

800-234-0135 414-973-1331 FAX/800-627-6432 414-973-1332

Marking Services Inc. 8265 North Faulkner Road Milwaukee, Wisconsin 53224 email: sales@markserv.com

MARINE AND OFFSHORE REGIONAL OFFICE

800-813-8642 281-424-6710 FAX/877-259-0134

Marking Services Inc. 5518 Decker Drive Houston, Texas 77520 email: sales@markserv.com

ASIA PACIFIC REGIONAL OFFICE +65-6-872-1529 FAX/+65-6-872-1669

Marking Services Inc. (S) Pte Ltd Pantech Industrial Complex 196 Pandan Loop #07-15 Singapore 128384 email: sales@markserv.com

SALES OFFICES

BRAZIL

Rua Arnaldo Batista de Almeida, 31 Centro Empresarial de Indaiatuba Indaiatuba - São Paulo CEP 13347-433 Brazil P: +55.11.964692152 / 11 963413015

DUBAI

S3A2SR02 Jebel Ali Free Zone PO Box 263635 Dubai, United Arab Emirates P: +971 04 344 5261

CANADA

3902 81st Avenue Leduc, AB T9E 0C3 Toll Free: 1-844-986-8480 P: 780-786-8480 F: 780-986-8486 www.markservcanada.ca

QATAR

Office# 110, Al Sada Building Hiteen Street, Al Muntazah Doha, Qatar P: + 974 4472 6722 F: + 974 4466 7256

KOREA

87 Jangpyeong 1-ro
Random House Centrum 2nd Floor 201
Geoje-si Gyeongsangnam-do
Republic of Korea 53265
P: +82 (0) 51.912.0600
F: +82 (0) 51.912.0601



Marine / Offshore Process Labeling and Signage

Pipe and Valve Identification,

IMO, Safety and Operations Signs

MARKING

SERVICES
INCORPORATED



MSI products provide highly visible information that clearly communicates the origin, destination and contents of piping systems. Our signage also identifies hazards and the location of fire fighting and safety equipment. When properly installed, our products become an integral part of routine marine and offshore operations.

Our objective at Marking Services Incorporated is to raise the level of safety awareness by standardizing hazard identification and piping system layouts to better promote safe work conditions that minimize downtime due to errors or accidents.

CONTENTS



2 Pipe Markers and Tapes

- 2 Introduction
- 4 Pipemarkers
- 5 Color-coding chart
- 6 Color-coding Tape
- 6 FlowDirectional Arrow Tape

Signs

- 7 Introduction
- 8 IMO- Life Saving and Rescue Signs
- 10 IMO- Evacuation and Escape Signs
- 12 IMO- Fire Control **Equipment Signs**
- 16 InternationalSafety -Fire Fighting Signs
- 18 InternationalSafety -**Mandatory Pictograms** & Signs
- 22 International Safety -**Prohibition Pictograms**
- 24 International Safety -Safe Condition Signs
- 26 International Safety -Warning Signs
- 28 Operation Signs
- 44 Right To Know Signs

Valve and Equipment **Tags and Accessories**

88 RIMDOWN TINK FOR NORTHEAST SECTION LINE OIL SYS

- 46 Tags and Accessories
- 46 Stainless Steel Swag Sleeves
- 46 StainlessSteel **Braided Wire**
- 46 Bar Coded Tags
- 46 Stainless Steel Tags
- 46 StainlessSteel Valve Tags and Fasteners
- 47 Equipment **Identification Signs**
- 47 Photoluminescent Tags
- 47 MS-215MAX-TEK Tags & Signs
- 48 Turnkey Installation Services

Pipe Markers and Tapes



MSI pipemarkers are the premier marker in the industry

- Polyester/TEDLAR™ construction provides proven protection from sunlight and maximum resistance to acids, caustics and solvents commonly found in offshore operations
- Used to identify piping on production platforms, drill rigs, ships and FPSOs
- Precoiled markers install easily by wrapping completely around pipe and affixing to themselves (not the pipe surface) with a TEDLAR™ sealing strip
- Service temperature range from -40° C to +120° C
- Eliminates need for pipe surface preparation before installation
- Guaranteed for five years, Maxilar™ Markers eliminate the need for costly re-labeling
- Markers can be removed and reinstalled after line maintenance and re-insulation.

Coiled pipe markers are available in eight standard sizes to fit pipes with outside diameters of 10mm through 455mm (including insulation thickness).

Markers also available for larger diameter pipes. Call an MSI sales representative for assistance.

MS-995 pipe identification labels provide operators a quick, accurate snapshot of critical information such as pipe content, flow direction, origin and destination. Proper pipe labeling eliminates the need to trace lines, promotes a greater understanding of piping layouts, translating to a quicker commissioning of a new build or facility upgrade.

INSTALLATION

To assure the greatest possible visibility, marker location should take into account the most probable operator position(s), location of other piping, equipment, valve and functional relationship to other components. The following locations should be considered as a minimum:

- At least one in each room
- One at each side of all bulkheads and deck penetrations; within 3 meters of penetration or at eye-level.
- Pump and compressor lines are marked once at the suction and once at discharge lines.
- Vessel columns, vendor-furnished skids and utility stations should be marked once at all line entries and exits.
- Pipe racks should be marked at approximately 8-10 meter intervals, and within 3 meters of major pipe rack intersections (lines in pipe racks should be marked at the same cross section).
- All lines entering and exiting manifolds should be marked for clear viewing from the position of valve operation.

Note: When installing markers consider visibility from normal working areas and access points.

Center

Right

Pipe Markers and Tapes

MS-995 Maxilar™ Pipe Markers for Marine and Offshore Facilities

- Comply with the "RECOMMENDED" ISO-14726-1 & 2 "Ship and Marine Technology Indentification Colors for the Content of Piping Systems" where outer bands (38mm) denote family colors (i.e. blue for fresh water, brown for fuel), and inner/center band (224mm) denotes specific services within the family (i.e. maroon for drill water, grey for distilled water).
- Comply with BS-1710/BS-4800 "Specification for Identification of Pipelines and Services), or with internal company/facility specifications for color coding.

Customized MS-995 Maxilar™ Pipe Markers

Relate P&ID's to the actual piping configuration within the facility through the use of specialized pipe identification markers.

- Printed legends on center band can include pipe contents, line number, line origin ("from") and destination ("to")
 P&ID numbers and flow arrow.
- Customize markers to conform to the following International Standards: ISO-14726-1 & 2, BS-1710/BS-4800 and ASME A13-1



Typical pipe marker installation


To Order:

Specify quantity, contents and style designation.

Pipe diameter	Marker style	Character height	Marker type
10mm-25mm (.5"- 1")	Α	12mm (.5")	Wrap Around
26mm-65mm (1.25"- 2.5")	В	20mm (.75")	Wrap Around
66mm-127mm (2.5"- 4.75")	D	30mm (1.25")	Wrap Around
128mm-203mm (5"- 7.5")	E	30mm (1.25")	Wrap Around
204mm-255mm (8"- 10")	J	30mm (1.25")	Wrap Around
256mm-300mm (11"- 12")	K	30mm (1.25")	Wrap Around
301mm-380mm (13"- 15")	L	30mm (1.25")	Wrap Around
381mm-455mm (16"- 18")	N	30mm (1.25")	Wrap Around
Larger sizes available. Please	call an MSI sales rep	oresentative.	

*TEDLAR™ is a trademark of DuPont Corporation





Pipe Marker Color Code Board Part #: OP925

Size: 610mm x 410mm (24" x 16")

- Identifies all piping contents of the vessel by name and color-coded identification.
- Colors per ISO 14726-1&2
 "Ship and Marine Technology Identification Colors for the Content of Piping Systems", BS-1710/BS-4800 "Specification for Identification of Pipelines and Services," or internal company/ facility specifications.

PIPE CONTENTS INDICATED IN CHART CAN BE CUSTOMIZED PER YOUR COMPANY STANDARDS.

	Pipe contents	band (38mm)	band (224mm)	band (38mm)	
⊴	bilge water	black	green	black	
WASTE MEDIA	black water	black	blue	black	
≥ ш	exhaust gas	black	gray	black	
AST	sewage-contaminated waste oil / used oil	black black	yellow brown	black black	
*	gray water	black	white	black	
	chilled water	blue	white	blue	
~	condensate	blue	yellow	blue	
曹	cooling fresh water	blue	violet	blue	
×	distillate	blue	gray	blue	
FRESH WATER	feed water	blue	silver	blue	
罡	fresh water-sanitary	blue	brown	blue	
	gas turbine wash water	blue	orange	blue	
	potable water	blue	green	blue	
	aviation fuel	brown	blue	brown	
긆	biological fuel	brown	violet	brown	
FUEL	gas turbine fuel	brown	white	brown	
	HFO (heavy fuel oil)	brown	black	brown	
	MDO (marine diesel fuel)	brown	yellow	brown	
#	ballast water	green	violet	green	
SEA WATER	cooling sea water	green	yellow	green	
EA	decontamination water	green	blue	green	
<u>v</u>	sea water-sanitary	green	brown	green	
ဟ	breathing air	gray	white	gray	
NON-FLAMMABLE GAS	breathing gas	gray	yellow	gray	
#	compressed air (hi-press)	gray	red	gray	
Ψ	compressed air (lo-press)	gray	orange	gray	
Ž	inert gas	gray	brown	gray	
Ę	nitrogen oxygen	gray	green blue	gray	
ŻO	refrigerant	gray gray	maroon	gray	=
Ż	control air/regulatory air	gray	violet	gray	
	hydraulic fluid	orange	gray	orange	
జ금	lubrication oil-engines	orange	yellow	orange	
불분	lub. oil-gas turbines	orange	green	orange	
ŌZ	lubrication oil-gears	orange	violet	orange	
OIL OTHER THAN FUEL	lub. oil-steam turbines	orange	silver	orange	
	thermal fluid	orange	blue	orange	
5	exhaust steam	silver	white	silver	
STEAM	steam for heating	silver	black	silver	
S	supply steam	silver	yellow	silver	
(0	atmospheric air	white	green	white	
Ĭ.	conditioned supply air	white	violet	white	
/ST	decont. supply air	white	maroon	white	
AIR IN VENTILATION SYSTEMS	discharge air	white	black	white	
į.	mech. recirculated air	white	orange	white	
4	mech. exhaust air	white	gray	white	
Ē	mech. supply air-cold	white	blue	white	
Ž	mech. supply air-warm natural exhaust air	white white	silver brown	white white	
≦	natural supply air	white	yellow	white	
₹	smoke clearance	white	red	white	
(D	fire fighting foam	red	yellow	red	
FIRE FIGHTING	fire fighting gas	red	gray	red	
GH	fire fighting powder	red	white	red	
Ē	fire fighting water	red	green	red	
HR	spray water	red	violet	red	
	sprinkler water	red	orange	red	
3LE	acetylene	yellow	gray	yellow	
MMAE	hydrogen	yellow	blue	yellow	
FLAMMABLE GAS	liquid gas	yellow	violet	yellow	
7					

Pipe Markers and Tapes

MS-900 Vinyl Color Banding Tape

Use MS-900 self adhesive tape to color code piping systems.

Colors can define class of service or special hazard pipes.

Place identification banding at entry and exit point of equipment, at wall, floor or ceiling penetrations and at major changes in piping direction or elevation.

- Tapes are available in 25mm or 50mm rolls
- Standard roll lengths- 46 meters
- Available in MSI standard colors plus RAL and BS-1710/BS-4800 colors
- Custom colors also available

NOTE: MS-900 vinyl tapes have a limited outdoor life when exposed to direct sunlight. See page 4 for UV protected products with extended outdoor life.



	25mm x 46m (1" x 30yd.)	50mm x 46m (2" x 30yd.)
Yellow	95101	96201
Green	96102	96202
Red	96103	96203
Blue	96104	96204
Brown	96105	96205
White	96106	96206
Black	96107	96207
Grey	96108	96208
Orange	96109	96209
Purple	96110	96210

To Order:

Select part number and quantity of rolls needed.

MS-900 Flow Directional Arrow Tape

- MS-900 Arrow Tape satisfies ASME A13.1 requirement to indicate direction of flow
- Available in the following color combinations: Black arrows on Yellow, Green, Orange, or White; White arrows on Green, Red, or Blue

Standard roll sizes are 25mm or 50mm wide by 27 meters long. Custom colors available. Call for a quote.



Size	Product	code					
25mm x 27m (1" x 30yd.)	95101	95102	95103	95104	95105	95106	95107
50mm x 27m (2" x 30yd.)	95201	95202	95203	95204	95205	95206	95207
	1	1	1	1	1	1	1
	Yellow w/ Black	Green w/White	Red w/White	Blue w/White	Green w/ Black	Orange w/ Black	White w/ Bla

Signs



MSI signage provides clear messages that draw attention to everyday situations that affect safety, health, environmental or operational issues. Our signs use universally recognized pictograms and can include specific information in a variety of languages to meet the unique regulatory requirements of different countries. Our Photoluminescent signs comply with IMO/SOLAS requirements. All of our signs are designed to resist chemicals and fading even in the harshest offshore environments.

To provide maximum durability, our signs are constructed of printed legends sealed between two layers of UV and chemically-resistant plastic. Choose from two thicknesses: MS-215 R (125 mil) for rigid requirements and MS-215 F (30 mil) for semi-rigid (recommended for mounting on curved surfaces.)

Our high-quality signs feature:

- sealed construction to protect graphics in harsh environments
- complete printing flexibility signs can include multiple lines of text, equipment numbers, operation and maintenance instructions, safety precautions or other critical information
- wide service temperature range:
 -40°F to 200°F or -40°C to 95°C
- custom colors and sizes available
- photoluminescent material available



All Life Saving & Rescue signs are 150mm (6") square

TO ORDER Specify the part number and quantity; outdoor or indoor usage and mounting location (i.e. flat surface, handrail or piping).

- Use Photoluminescent Signs to comply with IMO/SOLAS requirements for identifying critical life saving equipment.
- Clearly identify the location of life saving and rescue equipment in the event of an emergency.
- Available in MS-215 Photoluminescent outdoor grade semi-rigid signs or MS-900 Photoluminescent selfadhesive labels.
- If verbiage (English/ other) or custom signage is needed, please contact an MSI sales representative.



Lifebuoy, Light & Smoke
Part #: IMO 100



Immersion Suit Part #: IMO 101



Survival Craft Portable Radio Part #: IMO 102



Rocket Parachute Flare Part #: IMO 105



Part #: IMO 106



Distress Signal Part #: IMO 107



Start Engine



Part #: IMO 124



Life Jacket Part #: IMO 108

Part #: IMO 103



Radar Transponder

Part #: IMO 104

Lifebuoy with Light Part #: IMO 109



Embarkation Ladder Part #: IMO 110



Davit Liferaft Launch Part #: IMO 111



Liferaft Part #: IMO 112



Lower Liferaft to Water Part #: IMO 125



Release Grips Part #: IMO 126



Part #: IMO 113



Straight Arrow



Angled Arrow Part #: IMO 115



Part #: IMO 116



Part #: IMO 117



Air Supply Part #: IMO 127



Lower Lifeboat to Water Part #: IMO 130



Muster Station Part #: IMO 118



Muster Station (Ships) Part #: IMO 119



Line Throw Part #: IMO 120



Lifebuoy Part #: IMO 121



Lifebuoy with Rope Part #: IMO 122



Fasten Seat Belt

Lower Rescue

Boat to Water

Part #: IMO 133



Release Falls Part #: IMO 132



Evacuation Slide

Part #: IMO 128

Lifebuoy with Light Smoke and Rope Part #: IMO 138



Part #: IMO 129



Evacuation Chute Part #: IMO 135




Light and Rope Part #: IMO 136



Smoke and Rope Part #: IMO 137



Start Water Spray Part #: IMO 134



* To order individual letters or numbers, please indicate the desired letter or number at the end of the part number.

IMO Signs – Evacuation And Escape

Signs in this area are 150mm x 450mm (6" x 18")

Signs in this area are 100mm x 300mm (4" x 12")

TO ORDER Specify the part number and quantity; outdoor or indoor usage and mounting location (i.e. flat surface, handrail or piping).

- Use Photoluminescent Signs to comply with IMO/SOLAS requirements for identifying essential evacuation and escape routes.
- Clearly identify the location of exits, or emergency escape areas.

Low Level Lighting Arrows

75mm x 450mm (3" x 18")

Part #: IMO 237

Part #: IMO 202

Part #: IMO 203

- Available in MS-215 Photoluminescent outdoor grade semi-rigid plastic signs or MS-900 Photoluminescent selfadhesive labels.
- If custom signage is needed, please contact an MSI sales representative.





Part #: IMO 207



Part #: IMO 210



Part #: IMO 213



Part #: IMO 216



Part #: IMO 219



Part #: IMO 222







Part #: IMO 211



Part #: IMO 214





Part #: IMO 220



Part #: IMO 223





Part #: IMO 209





Part #: IMO 215



Part #: IMO 218



Part #: IMO 221



Part #: IMO 224



Part #: IMO 225



Part #: IMO 229



Part #: IMO 233



Part #: IMO 226



Part #: IMO 230



Part #: IMO 234




Part #: IMO 227



Part #: IMO 231



Part #: IMO 235



Part #: IMO 228




Part #: IMO 232



Part #: IMO 236

IMO Signs – Fire Control Equipment



All Fire Control Equipment Signs are 150mm (6") square

TO ORDER Specify the part number and quantity; outdoor or indoor usage and mounting location (i.e. flat surface, handrail or piping).



Fire Control Plan Part #: IMO 300

Sprinkler Horn

Part #: IMO 302



Push Button for Fire Alarm Part #: IMO 301



Fire Alarm Bell Part #: IMO 303



A Class Fire Door Self-Closing Part #: IMO 304



A Class Fire Door Part #: IMO 305



Area Protected by CO2 Part #: IMO 306




CO2 Horn Part #: IMO 307



Fuel Lubricating Oil Valves Part #: IMO 308



Fire Damper Vent Duct Part #: IMO 309



- Clearly identify fire control equipment in the event of a total loss of light.
- Choose the signs that match the symbols on your fire control plan.
- If verbiage (English/other) or custom signage is needed, please contact an MSI sales representative.
- Available in MS-215 Photoluminescent outdoor grade semi-rigid plastic signs or in MS-900 Photoluminescent selfadhesive labels.



Halon Horn Part #: IMO 311



High Expansion Foam Supply Part #: IMO 312



Closing Appliance for Exterior Part #: IMO 316



Foam Nozzle Part #: IMO 317




HALON


Area Protected

by Halon Part #: IMO 310

Space Protected by Foam Part #: IMO 318




Foam Valve Part #: IMO 319



Manually Operated Call Part #: IMO 320



Emergency Bilge Pump Part #: IMO 321



Bilge Pump Part #: IMO 322




Water Fog Applicator Part #: IMO 323



Controlled Skylights Part #: IMO 324



Gas Detector Part #: IMO 325



Section Valves Drenching Part #: IMO 326



Fire Station Part #: IMO 327



Locker with **Fire Equipment** Part #: IMO 328


CO2 Release

Part #: IMO 333


Station



B Class Door Self-Closing



B Class Door Part #: IMO 330



Fire Axe Part #: IMO 331



Control Station Part #: IMO 332






Inert Gas Installation Part #: IMO 334



Emergency Fire Pump Part #: IMO 335



Fire Pump Part #: IMO 336



Emergency Generator Part #: IMO 337

IMO Signs – Fire Control Equipment

TO ORDER Specify the part number and quantity; outdoor or indoor usage and mounting location (i.e. flat surface, handrail or piping).


- Identify fire control equipment onboard ships and as part of the IMO Required Fire Plan.
- Clearly identify fire control equipment in the event of a total loss of light.
- Choose the signs that match the symbols on your fire control plan.
- If verbiage (English/other) or custom signage is needed, please contact an MSI sales representative.
- Available in MS-215 Photoluminescent outdoor grade semi-rigid plastic signs or in MS-900 Photoluminescent selfadhesive labels.



A Class Fire Door Part #: IMO 338



Smoke Detector Part #: IMO 339



A Class Fire Door Self-Closing Part #: IMO 340



Portable Foam Applicator Part #: IMO 341



Remote Ventilation Shut Off Part #: IMO 342




Powder Handgun Part #: IMO 363



Foam Release Station Part #: IMO 364



Remote Controlled Fire Pumps Part #: IMO 365



Secondary Means of Escape Part #: IMO 367



Main Vertical Part #: IMO 343



Foam Monitor Gun Part #: IMO 344



Foam Installation Part #: IMO 345



Area Sprinkler Protected Part #: IMO 346



Installation Part #: IMO 347



A Class Division Part #: IMO 368



B Class Division Part #: IMO 369



Wheeled Fire Extinguisher Part #: IMO 370



Area Protecting

Part #: IMO 366


by Drenching

System

Wheeled Fire Extinguisher Part #: IMO 371



Portable Fire Extinguisher Part #: IMO 373



CO2/Nitrogen **Bulk Installation** Part #: IMO 348



Part #: IMO 349

Emergency Tel

Part #: IMO 354

Station



Halon 1301 Part #: IMO 350



Powder Release Part #: IMO 351



Water Monitor Part #: IMO 352



Portable Fire Extinguisher Part #: IMO 374

HALON 1301

Halon 1301

Bottles Placed In

Protected Area



Portable Fire Extinguisher Part #: IMO 375



Portable Fire Extinguisher Part #: IMO 376




Portable Fire Extinguisher Part #: IMO 377



B Class Fire Door Self-Closing Part #: IMO 378



CO2 Battery Part #: IMO 353



Fire Main with Fire Valves Part #: IMO 355



Locker with Protective Clothing Part #: IMO 356




Sprinkler Installation Part #: IMO 357



Part #: IMO 384



Halon Release Station Part #: IMO 380



International **Shore Connection** Part #: IMO 381



Space Protected by Fire Alarm Part #: IMO 382




Sprinkler Horn Part #: IMO 383



Locker With Breathing **Apparatus** Part #: IMO 358



Spray Set Part #: IMO 359



Handgun Part #: IMO 360

Heat Detector

Part #: IMO 361



Flame Detector Part #: IMO 362



Sprinkler Section



Fire Alarm Panel Part #: IMO 385



B Class Fire Door Part #: IMO 386



Drenching Installation Part #: IMO 387



Primary Means of Escape Part #: IMO 388

International Safety-Fire Fighting Signs



All Fire Fighting signs are 150mm (6") square

TO ORDER Specify the part number and quantity; outdoor or indoor usage and mounting location (i.e. flat surface, handrail or piping).

- Warn personnel of hazards and potential dangers.
- Symbol signs quickly convey necessary warning information on multilanguage project sites.
- If verbiage (English/other) or custom signage is needed, please contact an MSI sales representative.
- Available in MS-215F and outdoor grade semi-rigid plastic signs or in MS-900 selfadhesive labels.
- Available in Photoluminescent.



Fire Hydrant Part #: F009



Deluge CO2 Part #: F010



Deluge Part #: F011



Fire Alarm Part #: F012



Part #: F013





Water Monitor Part #: F015



Part #: F016



Telephone Part #: F001



Hose Reel Part #: F002



Fire Station Part #: F017



Fire Suit Part #: F018



Crash Rescue Equipment Part #: F019



Fire Blanket Part #: F020



Fire Extinguisher



Fire Ladder Part #: F004



Numbers 1-200 Add the desired number to the part number. F021-1 for example shown.



Dry Powder Release



Halon Deluge Release Part #: F023



Mobile Powder



Start Fire Pump





Mobile BCF Part #: F026



Mobile CO2 Part #: F027



Dual Purpose Nozzle Water Part #: F028



Apparatus Set



Part #: F008



Mobile Foam

Part #: F025

AFFF Part #: F030



Straight Arrow



Angled Arrow Part #: F032

International Safety – Mandatory Pictograms



- TO ORDER indoor usage and mounting location (i.e. flat surface, handrail
- For visual uniformity use sign display boards on page 42.

- Special precautions needed in workplace.
- Advise contractors, operators and maintenance personnel of safety equipment to be worn in work areas.
- Ideal use for multilingual work sites
- Available in MS-215F outdoor grade semi-rigid plastic signs or in MS-900 self-adhesive labels.
- If verbiage (English/other) or custom signage is needed, please contact an MSI sales representative.



Maintain Good Housekeeping Part #: M016



Use Lifevest Part #: M022




Wear Overalls and

Close Door Part #: M023



Clean Spills

Part #: M018



Use Table Saw Part #: M025



Fasten Seatbelts Part #: M026



Wear Apron and Gloves Part #: M027



Wear Faceshield Part #: M001



Use SCBA Part #: M002



Wear Overalls Part #: M003



Wear Hard Hat Part #: M028



Unplug Electricity Part #: M029



Tool Box Meeting Part #: M030



Test Atmosphere Part #: M032



Watch Read Part #: M033



Use Bleed Down Part #: M004



Wear Boots Part #: M005



Wear Hard Hat & **Safety Glasses** Part #: M006



Part #: M034



Use Dustmask Part #: M035



Use Welding Equipment Part #: M036

Use Tag Lines

Part #: M042



Part #: M031

Place Watchman Part #: M037



Use Crane Signals Part #: M038



& Ear Protection Part #: M039



Part #: M007

Wash Hands



Wear Goggles Part #: M008



Protection

Use Safety

Part #: M012

Harness



Ear Protection

Extinguishers Must Be Carried Part #: M046



Part #: M041

Use Garbage Cans Part #: M047



Wear Apron



& Glasses

Carry ESC Pack Part #: M049





Wear Respirator

Wear PPE

pecify the part number and quantity; outdoor or or piping).



Tie Gas Cylinders



Wear Gloves

Part #: M011

Use Handrails



Get Pass

Part #: M052



Wear ID Badge Part #: M053





Use Work Vest Part #: M054



Use Scaffolding Part #: M055



Check Wind

Part #: M050

Direction H2S Gas

Use Horn Part #: M056



Think, Start, **Focus** Part #: M096



TO ORDER Specify the part number and quantity; outdoor or indoor usage and mounting location (i.e. flat surface, handrail or piping).



Part #: M083 Size: 100 x 300mm



Part #: M084 Size: 100 x 300mm 4" x 12"




Part #: M085 Size: 100 x 300mm 4" x 12"



Part #: M086 Size: 100 x 300mm 4" x 12"



Part #: M087 Size: 100 x 300mm 4" x 12"



Part #: M088 Size: 100 x 300mm 4" x 12"



Part #: M057 Size: 300 x 215mm 12" x 8.5"



Part #: M062 Part # Size: 300 x 215mm Size: 3 12" x 8.5"



Part #: M067 Size: 300 x 215mm 12" x 8.5"



Part #: M072 Size: 300 x 255mm 12" x 10"



Part #: M077 Size: 300 x 255mm



Part #: M082 Size: 300 x 300mm 12" x 12"



Part #: M058 Size: 300 x 215mm 12" x 8.5"



Part #: M063 Size: 300 x 215mm 12" x 8.5"



Part #: M068 Size: 300 x 215mm



Part #: M073 Size: 300 x 255mm 12" x 10"



Part #: M078 Size: 300 x 255mm



Part #: M059 Size: 300 x 215mm 12" x 8.5"



Part #: M064 Size: 300 x 215mm



Part #: M069 Size: 300 x 215mm



Part #: M074 Size: 300 x 255mm 12" x 10"



Part #: M079 Size: 300 x 215mm 12" x 8.5"



Part #: M060 Size: 300 x 215mm 12" x 8.5"



Part #: M065 Size: 300 x 215mm 12" x 8.5"



Part #: M070 Size: 300 x 215mm



Part #: M075 Size: 300 x 255mm 12" x 10"



Part #: M080 Size: 300 x 215mm



Part #: M061 Size: 300 x 215mm



Part #: M066 Size: 300 x 215mm 12" x 8.5"



Part #: M071 Size: 300 x 215mm 12" x 8.5"



Part #: M076 Size: 300 x 255mm 12" x 10"



Part #: M081 Size: 300 x 255mm





International Safety – Prohibition Pictograms



All Prohibition Pictograms signs are 150mm (6") square

TO ORDER

For visual uniformity use sign display boards on page 42.

- Warn of dangerous conditions within the facilities.
- Clear messages for multi-lingual work sites.

 • If verbiage (English/other)
- Advise of prohibited behavior.
- Available in MS-215F outdoor grade semi-rigid plastic signs or in MS-900 self-adhesive labels.
- or custom signage is needed, please contact an MSI sales representative.





No Dirty Suits or Boots Part #: P012



Do Not Wash with Water



Do Not Lift **Heavy Load** Part #: P014



Garbage into the Sea Part #: P015



Part #: P001



Part #: P002



Part #: P016



Injured Hand Part #: P017



Do Not Go Near **Tail Rotor** Part #: P018



No Practical Jokes Part #: P019



Part #: P020



Under Forklift





No Drugs Part #: P021



Do Not Look at Welding Arc Part #: P022



No Hammers Part #: P023



No Fishing Part #: P024



No Swimming Part #: P025



No Running Part #: P005



Do Not Drink Part #: P006



No Guns Part #: P026



Do Not Dump Oil in the Sea Part #: P027



Do Not Dump Oil on Land Part #: P028



Do Not Dump Garbage on Land Part #: P029



Do Not Climb on Forklift Part #: P030



No Welding Part #: P007



No Hard Hat Part #: P008



Do Not Use Top Step

Part #: P031

No Forklifts



No Jewelry



Under Load



No Mobiles Part #: P034



No Cameras Part #: P035



Do Not Roll **Gas Cylinder** Part #: P009





No Food Or Drink



No Radios



International Safety – Safe Conditions



All Safe Condition signs are 150mm (6") square

TO ORDER Specify the part number and quantity; outdoor or indoor usage and mounting location (i.e. flat surface, handrail or piping).

- Show locations for safety equipment, eye wash stations and safety showers.
- Advise personnel of safe work requirements.
- Available in MS-215 outdoor grade semi-rigid plastic or MS-900 self-adhesive vinyl.
 - If verbiage (English/other) or custom signage is needed, please contact an MSI sales representative.



Part #: SC011



Part #: SC012



Part #: SC013





Part #: SC015



First Aid Station Part #: SC001



Part #: SC002



Scramble Net Part #: SC016



Muster Station (No Suits) Part #: SC017



Emergency Shower Part #: SC018



Emergency Stop Part #: SC019



Eye Wash Part #: SC020



General Alarm Part #: SC003



First Aid Station with Text Part #: SC004



Part #: SC021



Part #: SC022



Valve Shut Off



Part #: SC024



Smoking Permitted



Emergency Shower Eye Wash Part #: SC005



Helicopter Part #: SC006



Rechargeable Torch Part #: SC026



Emergency Ladder Part #: SC027



Call Point Part #: SC028



Crescent Part #: SC029



Knotted Rope Part #: SC030



Apparatus Part #: SC007



First Aid Alarm Part #: SC008



Drinking Water



Personnel Basket Part #: SC032



Descent Device Part #: SC033



Hook Part #: SC034



Straight Arrow Part #: SC035



First Aiders Part #: SC009



Name/Location Part #: SC010



Angled Arrow



Stairs up Part #: SC037



Stairs Down Part #: SC038



Rescue Hook (LV)



Rescue Hook (HV) Part #: SC040

International Safety – Warning Signs



- ards and potential dangers.
 - Symbols quickly convey warning information on multi-language project sites.
 - If verbiage (English/other) or custom signage is needed, contact an MSI sales rep.
- Warn personnel of plant haz Available in MS-215 outdoor grade semi-rigid plastic signs or in MS-900 self-adhesive labels.



Welding Part #: W019



Part #: W020



High Noise Part #: W021



High Pressure



Rotating Drill



Fall Overboard Part #: W024





High Voltage



Slippery Floor





Pressurized Tanks



High Pressure Part #: W027



Beware of **Tail Rotor** Part #: W028



Wire Rope in Tension Part #: W029



Freeze Area



Falling Objects Part #: W004



Pinch Points Part #: W005



Risk Part #: W006



Radioactive Part #: W031



Uneven Surfaces Part #: W032




Wet Paint Part #: W033



Dust Mask (Asbestos) Part #: W034



Methanol Part #: W035





Part #: W008



Deck Opening



Hearing Protection Part #: W037



Non lonizing Radiation Part #: W038



Oxidizing Agent Part #: W039



Nails in Pallets Part #: W040



Part #: W041



Land Rig Crane Part #: W042



Explosive



Falling Boxes Part #: W011



Falling Man Part #: W012



Third Party



Poisonous Fish Part #: W044



Snakes Part #: W045



High Pressure Wash Part #: W046



Cables

Buried Power Part #: W047



Loads Overhead Part #: W049



TO ORDER Specify the part number and quantity; outdoor or

indoor usage and mounting location (i.e. flat surface, handrail

For visual uniformity use sign display boards on page 42.

or piping).



Flammable

Hot Surface



Hot Liquid

Forklift

Part #: W018

Forklift Part #: W015



Heavy Duty



Toxic H2S Gas

Part #: W057



Moving/Rotating Load Part #: W051

Confined Area

Part #: W058



Stepping Hazard



Mov Tubular Part #: W059



Area Protected

Part #: W054

by CO2



Back Injury

Area Protected

by Halon


Part #: W055

(safety, regulatory, etc.) by type to familiarize crew members with

all safety signs used on board the

Customized Company Logo

SAFETY REVIEW



Operation Signs

Facility Name

IMO T-Card Cabinet Size: 635mm x 380mm 25" x 15"

• Uses removable "T" Cards

Please provide:

• Facility name • Pictograms needed

Company logo

• T-Cards are enclosed in water-

tight fiberglass lightweight box

TO ORDER Specify the part number and quantity.



T-Card Cabinet Muster Board Part #: 0P904

• Identifies designated muster stations





T-Card Cabinet H2S Muster Display Part #: OP907

• Identifies designated H2S muster stations

Customized Company Logo

RIG SAFETY & ENVIRONMENTAL PERFORMANCE

THIS RIG HAS WORKED 12345 DAYS SINCE THE LAST LOST TIME INCIDENT (LTI)

THIS RIG HAS WORKED 12345 DAYS SINCE THE LAST RECORDABLE INCIDENT

THIS RIG HAS WORKED 12345 DAYS SINCE THE LAST ENVIRONMENTAL INCIDENT

CREW A **CREW B** CREW C

DAYS SINCE LAST LOST TIME INCIDENT

12345 12345 12345

DAYS SINCE LAST RECORDABLE INCIDENT 12345 12345 12345 12345

DAYS SINCE LAST **ENVIRONMENTAL INCIDENT**

1 2 3 4 5 1 2 3 4 5 1 2 3 4 5 1 2 3 4 5

To order additional T-Cards: Specify, name, quantity and color. Part #: OP90TC

performance measured in days

CREW D

Rig Safety and

• Please provide: Facility name and company logo

• Display board showing rig

Environmental Performance

Sliders

Size: 810mm x 1270mm (32" x 50")



T-Card Cabinet Emergency Response Board Part #: OP905 Identifies personnel assigned to emergency response teams located in a muster station

TO ORDER Specify part number and quantity.





Newcomers report to reception for briefing on safety policies



Los recién llegados informan a la recepción para la reunión preparatoria en políticas de seguridad



Days without Lost Time Injury Los días sin la Herida Perdida de Tiempo

Days without Major Events

Los días sin Acontecimientos Mayores

Marking Services Inc. Houston, TX +281-424-6710 Partil: MSI-OP901


Welcome Aboard Sign Part #: OP901

- Used for initial reporting instructions, Lost-Time (LTA) status, hazards, mandatory requirements, prohibitions, and safety requirements for all vessel personnel
- Text can be translated for local languages
- Sliders

Size: 890mm x 1370mm (35" x 54")

Please provide:

- Facility name
- Local language
- Pictograms needed
- Company logo




Crane Signal Display Part #: OP903

• Pictograms representing all hand signals and respective crane signals used to ensure safe operations and complete understanding

Size: 1220mm x 1220mm (34" x 34")

Please provide:

- Facility name
- Company logo



Crane Lift Display Part #: OP902

• Display information regarding current color coding for hoisting and lifting. Includes slides for inserting colorcoded cards of current colors being used. Includes white, green, blue & yellow cards for slide


Size: 1020mm x 860mm (34" x 40")

Please provide:

- Facility name
- Company logo

Operation Signs

TO ORDER Specify part number, quantity and provide a CAD drawing.



					ER LIST		
BOYL STANDI ALIFIN SOME MICHEL FROM STAND	5-971	AND ENCROSING ALARM SIGNAL BACK IN THE COMP BUSINGS THE TAILOUTE PLOCE STANDARD TRANSPORT OF THE TAILOUTE	# 2 to 0	LINE SEA	COLICE /DIME / LEGAL	ESTERNO BUSIN WAYNE REMEDIAL WAYNE	END OF DEPL OF EXCRESION
PERSONNEL	STATUS	THE FIGHTNO/EXERCENCY STATIONS AND DUTIES	PRESENT DATE OF	9000 SP1 514104	ASMIDON	BAN OVERBOARD	PENARUS AND SPECIAL INSTRUCTIONS
DE SHEW SHEW, THE	215	a tric tipelig. Egye in thirty gar	UHBO	9610.84	# DAG/INC MOR COST	LIFE MEN OF THE MODIFIES	ALL FORMS SALES MEANTY NO. OF SECTION STORES AS TO LONG SALES FOR SELECTION ASSAULT SECTION SELECTION.
WERVOIT	385	PR 8:01 - 9:04 PU	UHBC	BEL 5 84	4 9600.0	E-sta	ALL PRODUCTS AND RESPONDENCE OF A STATE OF THE RESPONDENCE OF THE RESPONDENCE OF THE PRODUCTS AND A STATE OF THE PRODUCTS AND ADDRESS OF THE P
	200					C CONTRACTOR STATE	THE MICHEL BY AN ADMINISTRATION OF THE PARTY.
MC DOMES	22.56	10M 6 FB, 9 D4R 4 500 d 08	Utiliza	80.014	BOX MINE TO THE		SHEAT SOUTHWENT OF THE LIGHTED A MANUFACE CRIEFS
WEN REPERIORS	2.55	Affects (DV - NORTS & RITE 199	URBE	80.014	AN MENTONE	Color Board in Northbur 14 Color Board in Northbur 14 Color Board in Northbur 14	R THE RECOGNISMENT BY STOP APPROPRIATE SQUARE IN
98-0-77	200	16-D-19Rs Rev - fledf	URBO	BC 614	ACRYS # SACE	Aprillage (p)	S. THE RESISTERATION HE HERE THE REPORT OF THE ACTUAL PLAN.
MINO CINTA DRIVA	8 Sec.	NAME OF STREET AND STREET	ONE O	M0 0 t 2	HE AND A CARDILLING THE PROPERTY.	CASE OF SUPPLY SEASON	EGINE NO ORIGINAL SING
OLA	250	ps kgr - smeps K/hig	LEGGE	me filed	4 866.5	C THE BUAD - MINE AVENUE	CONC. IN LEGISLATE CONC. AND ARREST OF THE PARTY OF THE P
ARM REA	P 5-P	PR AGE - IS PARE	Hiller	00 5 84	Keeks	7. PROJECT OF SAY HE DE FOUND.	CAR STAR SONO
UPDAY.	958	SO FOR THOSE WITH HOME WITH THE	UHBO	90'6 84	ABBIG	DATE STORY HOW	C A ANGULARY WE WAS BOUNDED.
Mark	6 LV	NAME OF THE PARTY OF THE PARTY OF THE PARTY.	18000	161.014	N MARKS		was simply strop in the
SURFER!	# C#	PERSONAL SHAP PERSONAL PERSONAL PROPERTY AND ADMINISTRATION OF THE	18000	no have	ACTIVE THE TALL HOLLEGE	1	C THE STREET WE WANTED THE TOTAL TO THE
Dist (COV)	965	THE R. LET . A CHARGE SET, THE PAY AND SHOPE SHIPS.	187561	00 A 14	COS 16 NO MESO	SATE OF BOXTON ACAD	DIPMEN E CES PROME IS NO CAPA.
MENDED:	BLF	CHI & IN - IN IN DAY NAME IN COMMENT	URB	80 6 84	Applica	HIS ADMISSI TAK	A THE RESERVE OF STREET ASSESSMENT OF STREET,
MCMINT (C)	8145	CH 6 IN - FK ON PLON PERMS BY 3 side	UDW	90 5 6 6	Autor		B THE GOLD HIS ASSEMENT HE LOTED BLOCK BY THE GROWN AS RESERVED.
(Elabora)	215	U to - 306 WFT WINDS	UHBE	80 0 24	ACTIVE (MIT ID)	OCH PERSONNELL IN	ping books/innt/franc # s Cit # DOC 1984. I Nor of Roll s List Skills (SCH III, 1988), Towe of RP (FRAC) April 1980.
NOW.	385	No. Feet Rose - NOTICE CON PROPERTY OF SHEETING	1000	00.014	THE DOCUMENT LINE BY BUT BEEN	the bound the to decide	righ department men,
HEAV	#1 Set	and this - your expected the distance by	976 6	000 0 0 0	THE BOOK A STATE OF KISS	A NAME OF SECURIOR OF	PO-16 INDI WISH ALL MALE IN
WED.	215	FARTY FROM: F SWING COY - DIST ANALYSING SIN	1606	BC 544	N MERCO	THE MEN MAKES PE & SPECIAL P.	SHE ON FEMALES SEVEL RESIDED HAT BE RESIDED
SHI SHIW A TOWN	9 80	Authorities (up. 100) (print house)	Uttle	00.014	Cattica	THE PROPERTY AND ADDRESS ASSESSMENT	OF HER BE HEADED IN THE EAST OF THE LINE
THE COLOR IS ASSESSED.	0.65	THE SECTION SECTION	3100	101 111 111	F Bello.	the DE NE OF SEP 18 TH	DARREST TERM NO. 57 DARREST MARRIES DAVIGE IN FUEL ROW AT INC. WALLES
(ALT	F 301	HE MOOT D- FILE IN ID- D	95011	90 0 b2	Process of Part and	property parties as set on	
ARTHUR PROP	6.10	CONTRACTOR OF THE PARTY OF THE	95817	MI 0 4 2	SIDN & CHARLES AND A F-AREA	EMPARE.	15 3150 15 3150
State of	6.90	PC GEO PE - FR 194 P R 195 P	9581 F	MI 0 2 1	ADM CHARGE VEHICLE	200 2020	82 32 E
	6: W.	ICIDOD - THE WAY HE WAS A	950 P	00 811	AGMI DECKEN AND CHE	1 DESPERANT NO.	
MSF4	6:30	K IDOD - IN IND	95911	00701		4 DISSELECTORS	, a, &
DAY ACTOR	6 at	R day 17 - 208/14	SHEET P	MC CAS	ACRES NO OF A STATE OF	4	ngri
	6- to	IC Sept #1. California	orne in	80 0 2 1	ACTIVE VALUE OFFICE ACTIVE	7000	
Michael H	No. bec	THE CONTRACTOR	and b	100 P 2 1	V Next He curticities divid	ER	E.e.
PRIOR CHIPM (ICHAR)	61.00	THE REP - SOR I SHEET HE WASTON HAVE AND	94811	90 032	THE DISCUSSION OF REE	(%-	A STANDER
SORE PT		S DE LENGUES BL DOCH LIMINE GRAND - EDI SPELLER EVENT HILLIANS	THE P.	MI 5 8 4	MODE STORES	1 1117	
	2 BA		UNION	-		1996	
March Stein Guschert	41.66	FIRE CHARLES VARIOUS	OTHER CHIEF	M1 5 5 4	A MICCO	N 3	
ENC (DANS/ORE)		OTIC E - THE	950.0	M1 1 51	Castle 1	1 11 11	国 阿亚斯特特
CORNEC TODA	NOT UP		MALE P.	90 711	Cattle	I I MAN	4.
9 10A/I	W10	NOTE MADE TO YOUR REPORT OF THE STREET AND STREET OF THE STREET AND STREET AN			THE SUPPLY OF		

Fire Safety Plan Part #: SP890


Sized per each vessel

- Display of location-specific fire fighting information
- Icons and figures display pertinent fire fighting equipment

Muster List Part #: SP892

Sized per each vessel

• Displays vessel emergency info with inserted diagrams (customer formats to include AutoCad, models, etc.) showing pertinent escape routes



Station Bill

Part #: SP894


Sized per each vessel

- Display emergency procedures, directions and assignment for
- Text and drawings for regulatory compliance

Life Saving Plan Part #: SP891

Sized per each vessel

- Display of location-specific safety, life saving equipment
- Icons and figures to display pertinent safety equipment




TO ORDER Specify part number and quantity.



Lock Out Tags Display Part #: OP937

Size: 100mm x 800mm (4" x 32") (Tags not included.)





Lock Out Tags Board Part #: OP912

- Includes slide-ins by permit number for holding applicable color-coded tags
- Displays lock out tags by permit number

Please provide:

- Company logo
- List of permit numbers

Size: 710mm x 610mm

Co	mpany ogo				ing an	Maria St.		
) 	i	Z DOGE 2	zone o	ZONE 4	ZONE 2	ZONE 0	
	08:00 06:00 09:00							
	9:00 9:00 2:00 24:00							

Work Permit Display Part #: OP909

Please provide:

Color of tag needed

Size: 90mm x 130mm


(3.5" x 5.25")

- Displays ongoing permitted work in progress by location
- Dry erase board and clipboard for holding active permits

Please provide:

- Company logo Facility profile/layout in CAD
- Size: Top 860mm x 840mm

Bottom 460mm x 1040mm




Hot/Cold Work **Permit Board** Part #: OP910


- Displays ongoing permitted work in progress by location and differentiated by type (Hot or Cold)
- Dry erase board


Please provide:

Facility profile/layout in CAD

Size: 1020mm x 810mm







DP Status Board

Part #: OP923

- Displays current positioning of the vessel when operating in Dynamic Positioning (DP) mode
- Dry Erase Board

Please provide:

Company logo

Size: 860mm x 1170mm (34" x 46")




Magna Display Board

- Magnetic or dry erase board for displays
- Use dry erase markers or magnets

Please provide:

- Company logo
- Facility/Rig namePositions (for "ON TOUR" section)

Size: 860mm x 760mm (34" x 30")



BOP Configuration Board

Permit To Work Board

· Displays ongoing permitted work in progress by location · Uses dry erase markers for placement as well as clipboards for holding active permits

Company logoFacility profile/layout in CAD

Size: 860mm x 1270mm (34" x 50")

Part #: OP906

Please provide:


• Displays current well status and operating parameters

- Parameters can include (but are not limited to) depth, casing set, pump parameters, hole size etc.
- Dry Erase Board

Please provide:

Company logo

Size: 610mm x 910mm (24" x 36")



Tank Board

- Displays the levels of tanks used on board as needed
- Dry erase board

Please provide:

Company logo

Size: 760mm x 910mm (30" x 36")

Operation Signs

TO ORDER Specify part number and quantity.

Customized Company Logo	MANAGEMENT TEAM
Offshore Installation Manager	
	Safety Officer
Head of Safety Department	
	Rig Superintendent
Head of Drilling Operations	
	Chief Engineer
Head of Engineering Operations	
	Chief Mate
Head of Marine Operations	
	Chief Steward
Head of Catering	

Management Team Board Part #: OP924

- Displays Management Team members
- Includes slide-ins for applicable names

Please provide:

- Company logo
- Names & positions

Size: 600mm x 500mm (24" x 20")

Company	PERSONNEL ON BOARD
MIC	
COMPANY MAN	
MUD ENG.	
RIG MEDIC	
CAMP BOSS	

Key Personnel Bo	oard
Part #: OP911	

- Displays key personnel on vessel
- Includes slide-ins for inserting applicable names

Please provide:

- Company logo
 Names & positions

Size: 640mm x 595mm (25" x 23.5")

Customized Company Logo		SPONSIBLE SONS BOARD
OPS SUPERVISOR OIM SYSTEM SUP / PC DAYS SYSTEM SUP / PC NIGHTS SAFETY OFFICER SERVICES SUPERVISOR		
MEDIC		
FACILITIES MARESPONSIBLE PERSOI COSHH FOCA HLO MANUAL HAND POLL FOCAL SPARE	N ELECTRICAL L POINT LING REP POINT	
SPARE	-	
SPARE		

Customized Company Logo	FIRE TEAM 1
TEAM LEADE	ERS
TEAM MEMB	BERS

Responsible Person Display Part #: OP918

- Identifies assigned personnel to positions by name and title
- Includes slide-ins for inserting personnel names and positions

Please provide:

- Company logoNames & positions

Size: 1040mm x 380mm (25" x 15")

Customized Company Logo	QHSE COMMITTEE TEAM No. 1
МЕМВ	ERS

Committee Board Part #: OP915

- Displays committee members
- Includes slide-ins for applicable names

Please provide:

- Company logoNames & positions

Size: 640mm x 595mm (25" x 23.5")

Fire Team Board

Part #: OP914

- Identifies members of FireTeam
- Includes slide-ins for team leader, members, and/or respective duties

Please provide:

- Names & positions

Size: 640mm x 595mm (25" x 23.5")

Safety Chart Part #: OP922

• Display board manufactured in four 455mm x 620mm (18" x 24.5") sections

Communications Board


well as information pertinent to

Size: 1090mm x 810mm (32" x 43")

ongoing activities

Please provide:


- Dry erase board
- Please provide:



Customized

Company


Size: 640mm x 575mm (25" x 23.5")



MAN RIDING

Man Riding Tugger Signals






Life Raft Launch Display Part #: OP940

Please provide:

Company logo

• Facility Name

Size: 530mm x 600mm (21" x 24")



Size: 370mm x 420mm (14.5" x 16.5")



Lifecraft Launch Instructions Part #: OP939

Size: 355mm x 406mm (14" x 16")

Operation Signs

TO ORDER Specify part number and quantity.

Customized Company Logo

CONFINED SPACE RESCUE TALLY BOARD







DATE: PERMIT No.

		_		
LOCATION	NAME	TIME IN	DUE OUT	TIME OUT

ENDUF	ENDURANCE 6 Ltr 300 Bar			ENDU	RANCE	9 Ltr 20	00 Bar
Pressure Bars	Duration Mins	Pressure Bars	Duration Mins	Pressure Bars	Duration Mins	Pressure Bars	Duration Mins
300	35	230	24	200	35	130	16
290	33	220	22	190	33	120	14
280	32	210	20	180	30	110	12
270	30	200	19	170	28	100	10
260	29	190	17	160	25		
250	27	180	15	150	23		
240	25	170	1/1	140	20		

Marking Services Inc. Houston, TX +281-424-6710 Part#: MSI-OP941

Customized
Company
Logo

RISER INVENTORY SHATTER TYPE FTG

Color of pod	Pressure tested form	Function tested from	Next BOP test due	Next function test due	Pressure annular/ rams	Tested by / Comments
	Color of pod	Color of Pressure tested form	Color of Pressure tested form tested from	Color of Pressure pod tested from tested from test due	Color of Pressure Function Next BOP function	Color of Pressure pod tested from tested from test due function test due Pressure function test due ramsidar/ rams

Customized Company Logo WELL LOCATION					
OPERATED BY:					
BLOCK#					
OCSG#					

Well Location Board

Part #: OP916

- Displays well information required by US Coast Guard
- Information to include vessel name, operator, location (block) number, and OSCG number
- Sized per Coast Guard regulations
- Includes slide-ins

Please provide:

- Company logo
- Vessel name, operator, location numbers and USCG number

Size: 860mm x 2440mm (34" x 90")

Confined Space Rescue Tally Board

- Dry erase board
- Please provide:
- Company logo

Size: 412mm x 300mm (16.5" x 12")

◀ Riser Inventory Board Part #: OP926

- Displays information for current risers onboard the vessel, either installed or on deck.
- Dry erase board
- Please provide:
- Company logo

Size: 34" x 38"

Customized Company Logo

TUBULAR INVENTORY

Type and size	Weight/ foot	Quantity in assigned to rig	Quantity onboard	Quantity damaged	Quantity on for inspection	Comments

Tubular Inventory

Part #: OP927

- Displays information on all tubular stock onboard the vessel
- Dry erase board
- Please provide:
- Company logo

Size: 40" x 34"

NOISE AT WORK - DO YOU KNOW ALL YOU NEED TO KNOW?

Under the Noise at Work Regulations 1989, both employers and employees have obligations which they must fulfill to minimize the risk of damage to hearing at the workplace. Below is a summary of these obligations - you must comply.

EMPLOYERS DUTIES	Below 85dB(A)	At first Action Level -85dB(A)	At second Action Leve -90dB(A)
To reduce the risk of hearing damage to the lowest level reasonably practical.	>	>	>
To appoint a competent person to carry out noise assessments and keep a record of those assessments.		<	>
To reduce the risk of exposure to noise as far as is reasonably practicable by means other than ear protectors.			✓
 To provide adequate information, instruction and training about risks to hearing, how to minimise that risk. How to obtain ear protectors between 85dB(A) and 90dB(A) and their obligations under the Regulations. 		>	>
Mark ear protection zones with notices as far as reasonably practical.			\
Ensure that ear protectors are: a) provided to employees who ask for them. b) provided and used by all exposed.		>	>
c) maintained and repaired.		/	/
Ensure that all who go into ear protection zones are wearing ear protectors.			/
EMPLOYEES DUTIES	Below 85dB(A)	At first Action Level -85dB(A)	At second Action Leve -90dB(A)
Employees must so far as practicable:- a) Use ear protectors.			/
b) Use other protective equipment. c) Report any defects in equipment to his/her employer on discovery.		\	\
omproyor on allowardly.	-	/	/

Noise at Work Regulations

• Summary of obligations regarding regulations for noise at work

Size: 24" x 17"

RISK ASSESSMENT

Is the first step to making your workplace safe.

- Identify hazards and where possible remove them.
- Evaluate risks.
- Reduce or control risks to low levels.
- Record this assessment.

Co-operate with the employer on all health and safety matters.

Inform your supervisors if you are concerned about a safety matter.

An Employee must

- Adhere to all work and safety
- The above must be considered when

Is lighting adequate?

Is noise controlled? Is everyone aware of emergency procedures and escape routes?

Is there good ventilation, heating and

Is the interior of the building in good

Is there adequate space to work in?

Are proper lifting and moving procedures followed?

Does the P.P.E. meet current standards?

assessing the following.

- Are accidents and hazards accurately reported?

- Is the equipment safe, suitable for the job and properly safeguarded?
- Is the equipment maintained and stored properly?
- properly?

 Are hazardous substances identified used and stored properly?

 Do employees have proper training instructions, information and supervision?

- Is the work area set up correctly for the

- Is hardware and software suitable for the

- Have employees been trained in the use of P.P.E.? use of IF-FE. ?

 Is it maintained, used and stored properly?

 Marking Services Inc. Houston, TX +281-424-6710 Part#: MSI-OP935

Is it suitable?

Risk Assessment Part #: OP935


• Summary of steps for assesing risk for both the employer and the employee

Size: 24" x 17"

Operation Signs

TO ORDER Specify part number and quantity.

Sign Display Boards can be customized to fit as many signs as needed (i.e. 9 signs, 12 signs, etc.).



Sign Display (IMO-2 Signs) Part #: OP928

• Displays 2 square pictograms or signs (150mm x 150mm)


• Please provide company logo

Size: 640mm x 200mm (25" x 8")

Sign Display Boards

Used to display: Mandatory signs (pages 18-19), Prohibition signs (pages 22-23), Warning signs (pages 26-27).






Sign Display (IMO-6 Signs) Part #: OP930

- Displays 6 square pictograms or signs (150mm x 150mm) in 2 rows of 3 each
- Please provide company logo

Size: 640mm x 530mm (25"x 21")



Sign Display (IMO-4 Signs) Part #: OP929

- Displays 4 square pictograms or signs (150mm x 150mm)
- Please provide company logo

Size: 640mm x 300mm (25" x 12")



Set 1: MARSEC Set Part #: MAR001

Part #: MÁR004 Size: 3"x 8"

ш

Z

0

ш

S

ш

ш

Œ

ш

S

Lure to consent or submit to screening or inspect Ill result in Denial or Revocation of Authorization Board or Enter 33cfr104.265(e)(2) 33cfr105.255(e)(2

Security Notice This item also sold separately as: Part #: MAR005 Size: 8.5" x 10'

SECURITY NOTICE THIS FACILITY IS CURRENTLY OPERATING AT **MARSEC LEVEL BOARDING THE VESSEL OR ENTERING THIS** FACILITY IS DEEMED VALID CONSENT TO SCREENING OR INSPECTION

FAILURE TO CONSENT OR SUBMIT TO SCREENING OR INSPECTION WILL RESULT IN DENIAL OR REVOCATION OF AUTHORIZATION TO BOARD OR ENTER 33CFR104.265(e)(2) 33CFR105.255(e)(2)

MARSEC LEVEL 2

MARSEC LEVEL 3

Set 3: Security Notice Board Part #: MAR003

Size: 24" x 32"

• Includes slide-ins to indicate change in security levels

MARSEC Signage

Set 2: MARSEC Signs

Size: 12" x 12" (holder)

8" x 10" (signs)

0

3

S

Signage required by USCG & ISPS to identify change in security levels corresponding with Homeland Security for Maritime applications.

Required by USCG & ISPS Security Regulations. 33CFR104.265 (e) (2), 33CFR105.255 (e) (2)33 CFR 104.270 © (6), 33CFR 105.260 (b) (6) ISPS Part B 9.20, ISPS Part B 16.23)

Items are sold in sets.

Set 1: MARSEC Set

Part #: MAR001

Includes: (1) MS215 Backing Board

- (3) Interchangeable MARSEC Signs (levels 1-3)
- (1) MS215F Security Notice Sign with Adhesive back
- (4) MS900 Restricted Area Labels

Set 2: MARSEC Signs

Part #: MAR002

Includes: (1) MS215 Backing Board

(3) Interchangeable MARSEC signs (levels 1-3)

Set 3: Security Notice Board

Part #: MAR003

Includes: (1) Security Notice Board

(3) Interchangeable MARSEC signs (levels 1-3)

Restricted Area MARSEC

Part #: MAR004

• (4) MS900 Restricted Area Labels

Security Notice MARSEC

Part #: MAR005


- (1) MS215F Security Notice Sign with adhesive back
- For Sets 1 and 2, please provide company logo and facility name

TO ORDER Specify part number and quantity.




Electric Shock Emergency Resuscitation

Part #: OP936 Size: 600mm x 425mm (24" x 17")




Management of Health and Safety at Work Regulations

Part #: OP942 Size: 600mm x 425mm (24" x 17")




Manual Handling Operations Regulations 1992

Part #: OP943 Size: 600mm x 425mm (24" x 17")



Know Your Fire Extinguisher Color Code

Size: 600mm x 425mm (24" x 17")



Know Your Safety Signs

Part #: OP952 Size: 600mm x 425mm (24" x 17")



Provision and use of Work Equipment Regulations 1998

Size: 600mm x 425mm (24" x 17")




The Workplace **Regulations 1992**

Size: 600mm x 425mm (24" x 17")



Health and Safety Regulations of 1992

Part #: OP946 Size: 600mm x 425mm (24" x 17")



Know Your Dangerous Substances

Size: 600mm x 425mm (24" x 17")



Hazardous Substances & General Signs

Part #: OP953 Size: 600mm x 425mm (24" x 17")

Tags and Accessories

Stainless Steel Swag Sleeves

- 100 per bag
- Type 316 stainless

Part # 15746



STM 245





• Use MS-215Tags for asset management. Bar coding makes

capturing and tracking asset data easy and accurate

Type 316 Stainless Steel Tags

Specify tag size, quantity and wording required

V9304122

#8 RUNDOWN TANK FOR
NORTHEAST SECTION LUBE OIL SYS.

Bar Coded MS-215

MAX-TEK™ Tags

Stainless Steel Braided Wire

- 30 meter roll
- Type 316 stainless

Part # 15747



Type 316 Stainless Steel Valve Tags and Fasteners

- For identifying valves, equipment and instrumentation
- · Laser etched blackened text for better visibility
- Available 2" (50mm) round, 1"x 3" (25mm x 75mm), 2"x4" (50mmx100mm)



MS-215F MAX-TEK™ **Equipment Identification Signs**

- Extremely durable signs are designed to identify the unique name and number of each piece of equipment
- Flexible sign construction allows for easy installation to the contours of tanks or vessels
- Background colors available: White, Blue, Red, Black or Yellow with Black or White letters
- Excellent outdoor life and chemical resistance



Photoluminescent MS-215 MAX-TEK™ Tags

MS-215 Low Light Location Tags

- Used to label valves or equipment that would be hard to find in the event of power failure
- Low light location tags are constructed of the same durable materials as our other MAX-TEK tags with the only difference being that the printed background glows for up to six hours once the lights go out
- Available in two thickness: MS-215 R (125 mil) for rigid mounting applications and MS-215 F (30 mil) semi-rigid (flexible)

Specify tag size, quantity, wording and whether you need



MS-215 MAX-TEK™ Tags & Signs

MS-215 tags are constructed of printed legends sealed between two layers of UV and chemically-resistant plastic. This sealed construction offers excellent resistance to chemicals, abrasion and the fading effects of the sun. Tags available in two thicknesses:

MS-215 R (125 mil) for rigid requirements and

MS-215 F (30 mil) semi-rigid (flexible). For mounting signs on curved surfaces, we recommend the flexible construction

- For marking valves, instrumentation and equipment
- Service temperature range: -40°F to 200°F or -40°C to +95°C
- Background colors: Yellow, Green, Red, Blue, White, Black and Orange
- Legend colors: Black or White
- Each rigid tag comes with stainless steel grommets
- Double sided tags available

Specify wording, size, rigid or flexible, and quantity.

Turnkey Installation

Marking Services, Inc (MSI) is a turnkey contractor who has developed a unique methodology for labeling complex piping systems and implementing effective safety signage programs. Our facilities in Houston, Singapore, Canada and the Middle East provide single source accountability for all phases of complex labeling and safety signage programs.











MSI INSTALLATION TEAMS:

- serve as a seamless extension of our client's personnel. They are properly equipped and trained to function independently, preventing disruptions in the clients' normal activities.
- have extensive safety training and the best equipment to ensure that each project is completed safely.
- guarantee the client receives the maximum value for their dollar by applying extensive expertise in pipe labeling to each project by using their wealth of experience to guarantee all process labels and signs are installed in the most appropriate areas to provide maximum visibility for facility operators.
- take a detailed approach to each project. Special attention is paid to pipe racks, manifolds and valves located in confined or obscure areas. This approach alleviates the need for clients to trace lines both on a day-to-day basis and in times of emergency.
- focus solely on labeling pipes and installing signs. Our concentrated approach allows projects to be completed in an optimal timeframe of weeks rather than months.
- install all IMO operational and safety signage properly and accurately in correct locations and at frequencies mandated by regulatory standards.