



# STAINLESS STEEL CABLE MARKERS

Technical Data

## Description



These cable markers are made using Type 316 stainless steel and feature high contrast laser engraved text which is ideal for the highly corrosive environments of pharmaceutical manufacturing and petrochemical facilities, as well as other harsh environments both indoor and out.

## Physical and Chemical Characteristics

<b>Base Material:</b>	Type 316 Stainless Steel
<b>Material Thickness:</b>	(.020"/.5 mm)
<b>Service Temperature:</b>	-40°F to 500°F (-40°C to 260°C)
<b>Chemical Resistance:</b>	Excellent
<b>Water Resistance:</b>	Excellent
<b>Expected Outdoor Durability:</b>	Excellent (5+ Years)
<b>Abrasion Resistance:</b>	Excellent
<b>Mounting:</b>	Slots for ¼" width stainless cable ties
<b>Finish:</b>	2B Finish
<b>Text Height:</b>	Sized to fit within tag boundary or comply with specified height
<b>Typical Sizes:</b>	<ul style="list-style-type: none"><li><input type="checkbox"/> 0.375" x 4.75" (9.5 mm x 120.65 mm)</li><li><input type="checkbox"/> 0.5" x 3" (12.7 mm x 76.2 mm)</li><li><input type="checkbox"/> 0.5" x 4.75" (12.7 mm x 120.65 mm)</li><li><input type="checkbox"/> 0.75" x 3.5" (19 mm x 88.9 mm)</li><li><input type="checkbox"/> 0.75" x 4" (19 mm x 101.6 mm)</li><li><input type="checkbox"/> 1" x 4" (25.4 mm x 101.6 mm)</li></ul>
<b>Standard Colors:</b>	High Contrast text on stainless background
<b>Options:</b>	Custom lengths are available

*Information on physical and chemical characteristics is based on tests we believe to be reliable. The values are intended only as a source of information and are given without guarantee and do not constitute a warranty. Purchasers should independently determine, prior to use, the suitability of this material for their specific application.*

Updated on 08/16/2023

8265 N. Faulkner Road, Milwaukee, WI 53224

Ph: 800.234.0135 | Email: sales@markserv.com | Website: www.markserv.com