

MSI CORE PHILOSOPHY

Logical, thorough, and consistent communication is imperative for the safe and reliable operation of commercial and process facilities. At MSI, we want to help you establish guidelines and specifications to communicate meaningful information to facility personnel in support of safe operations, emergency response, and compliance with regulatory requirements through an effective and durable plant labeling system. We want your facility to be set up with "best practices" for plant labeling products, services, and instant access to critical asset information using mobile technology.

Durable labeling installed properly and effectively is intended to support process safety management and uninterrupted production by providing critical information to plant personnel in a standardized and consistent manner. The objectives of asset management and identification from MSI are designed to deliver the following benefits:

1) Process Safety Management (PSM):

PSM is an integral part of safe, reliable, and effective plant operations. The benefits of enhancing a PSM program with respect to labeling include:

- Enhanced facility safety & productivity
- Improved operator training
- Assistance for maintenance personnel by providing instant access to asset information like operation and maintenance manuals and work procedures direct at the asset
- Reduced risk of equipment downtime
- Aid & support for emergency response personnel

2) Hazard Reduction and the Prevention of Human Error:

A comprehensive and effective labeling program contributes to the effective functioning of process operations and limits the potential for downtime or injuries due to operations or maintenance errors.

3) Uniformity of Labeling Nomenclature:

A labeling program that is standardized and consistent contributes to the flow of information and feedback among all affected departments including: operations, maintenance, safety, environmental, quality, administration, supply, and management. Information flow regarding piping, equipment, valves, instrumentation, and hazards shall be understood by all parties because of the standard definitions and specific identification included on each label, sign, or tag.

4) Regulatory Compliance:

Industries subject to government oversight or compliance testing can store critical data directly at the asset location and retrieve this data during inspections. Using mobile technology, critical information can be retrieved at the asset without having to dig for information in engineering libraries.



Want more information? Visit our website to see our full assortment of products and services.

www.markserv.com

TABLE OF CONTENTS

1 | Pipe Markers

- 2. Coiled Pipe Markers
- 6. Self-Adhesive Pipe Markers
- 11. Duct Markers
- 12. Carrier Pipe Markers
- 13. Stencils & Locator Tacks

14 | Tape

- 15. Arrow & Banding Tape
- 16. Underground Warning Tape
- 17. Barricade & Warning Tape

18 | Tags

- 19. Valve Tags
- 21. Equipment Tags
- 22. Accident Prevention Tags

24 | Signs

- 25. Equipment Signs
- 26. GHS Signs
- 27. Operational & Safety Signs

28 | Electrical

- 30. Arc Flash Labels
- 31. Nameplates
- 32. Switch & Cover Plates
- 33. Conduit & Cable Markers
- 35. Wire Markers
- 36. Cable Tray Markers

37 | Fire Protection

- 38. Fire ID Pipe Markers & Labels
- 39. Fire ID Labels & Signs

40 | Solar

- 41. Solar Placards
- 42. Solar Sitemaps
- 43. Solar Wire Markers
- 44. Solar Labels & Signs
- 45. Residential Solar Labels

46 | Ammonia & CO2

- 47. Ammonia Pipe Markers
- 48. Component Markers
- 49. CO₂ Pipe Markers
- 50. Ammonia Signs
- 52. Ammonia Tags

53 | Marine & Offshore

- 54. Pipe Markers
- 55. Safety Boards
- 56. Equipment Signs & Tags
- 57. IMO & Egress Safety Signs

60 | Mounting

- 60. Mounting Options
- 62. Strapping
- 63. Tools










Request a Take-Off or Submittal Today!





Our Owner Services provide you with a single source for all of your facility identification needs. By organizing the elements of each facility's asset information, we standardize labeling thereby promoting safer work conditions. We help you manage your facilities better, achieving long-term cost savings associated with faster, more efficient plant commission, start-ups, and improved operator training. We have expertise in streamlining labeling and providing custom labeling solutions for major construction projects or existing facilities.

TECHNICAL DRAFTING SERVICES

We focus on the development of accurate as-built drafting products and services for any industry. From P&IDs to facility site plans, our drawings visually communicate valuable asset information and are an essential tool for engineering, maintenance, and health & safety personnel. In the absence of accessible quality information, we utilize 3D laser scanning technology to collect data about a facility's operating environment to use in the development of accurate P&IDs and labeling.

INSTALLATION SERVICES

Our turnkey installation process systematically installs permanent asset identification without you devoting personnel time or direct supervision. Our crews are experts at installing identification in a timely, consistent, and safe manner.

ENGINEERING

Our staff of full-time professionals is experienced in the intricacies of developing and implementing a total identification system. Our engineering uses a comprehensive approach to creating an efficient identification program for your facility.





Mobile Technology is a user-friendly asset and document management application built for safer and more efficient operations. It allows service technicians and auditors the ability to unload documents to a secure asset database and access them by simply scanning the associated QR code in the field.

ATLAS is a mobile procedure management application integrated with AIM, it's designed to make your operations safer & more efficient. Users are able to easily scan assets in the field with a mobile device and bring up step-by-step visual procedures.

COMMON ITEMS INCLUDED IN AIM DATABASE:

- Customized AIM Forms
- Work Orders
- Preventative Maintenance Orders
- Inspection Checklists
- Maintenance & Service Manuals
- Schematics
- Drawings
- Commissioning Reports

BENEATS OF ATLAS:

- Promotes Effective
 Training
- Digitizes Procedures
- Mitigates User Errors
- increases Efficiency
- Location & Asset Confirmation
- Increases Accuracy



Learn more at markserv.com

PIPE MARKERS

Coiled Pipe Markers

These pipe markers are built with a pre-coiled design, allowing for easy installation by wrapping around the pipe and self-sealing. They can be removed and reinstalled for easy access to the pipe surface.

2. Self-Adhesive Pipe Markers

Printed on premium quality, fade-resistant material, our Self-Adhesive Pipe Markers are used to address multiple labeling needs from line service designations to system color-coding.

3. Duct Markers

Printed on a highly visible self-adhesive material, our Duct Markers are used to identify airflow/equipment in a ductwork system. Our Plenum-Rated Duct Markers are used in plenums to help prevent the spread of smoke & gases in the event of a fire.

Carrier Pipe Markers

MS-995 Carrier Pipe Markers are designed to withstand harsh conditions in indoor and outdoor piping environments. The curved design enhances visibility and minimizes the impact of direct sunlight.





MS-995 Coiled Pipe Markers

MS-995 Coiled Pipe Markers are manufactured for extended life in harsh surroundings. They are tested and produced to withstand prolonged exposure to direct sunlight, salt water, harsh process chemicals, acids, caustics, and hydrocarbons.

- Pre-coiled markers install easily by wrapping entirely around the pipe and self-sealing with a lockdown strip
- Installation can be on either bare or insulated pipe and requires no surface preparation for attachment since they bond to themselves, not the pipe surface
- Can be removed and reinstalled
- ANSI/ASME A13.1-1996 colors available upon request

Custom MS-995 Coiled Pipe Markers

Custom pipe markers are available to meet facility-specific needs for color, pipe diameter, and information (including from/to, P&ID numbers, line numbers, pipe contents, dual flow direction arrows, etc.).

Styles Available

MS-995 Coiled Pipe Markers are available in nine standard sizes to fit pipes with overall outside diameters of $\frac{3}{6}$ " through 18" (including insulation thickness). For piping 8" and larger, the 4" x 32" (style M) marker is permanently laminated to a chemical and weather resistant carrier (see **page 12**).

*MS-995 markers comply with ANSI/ASME A13.1, except styles J, K, L & N which do not comply with the ANSI/ASME A13.1 standard regarding marker size and letter height.

Shop online today! www.markserv.com



Pipe Diameter (Including Insulation)	Marker Style	Marker Width	Character Height
3/8" - 1/2"	TM	3"	1/4"
1/2" - 1"	Α	8"	1/2"
11/8" - 21/4"	В	8"	3/4"
21/2" - 43/4"	D	12"	11/4"
5" - 7%"	E	12"	11/4"
8" - 10"	J*	12"	11/4"
11" - 12"	K*	12"	11/4"
13" - 15"	L*	12"	11/4"
16" - 18"	N*	12"	11/4"

Order MS-995 Coiled Pipe Markers

- Determine the four-digit part number for each legend
- Use the marker style table at the bottom right corner of **page 2** to determine size of marker desired
- Example: The marker "ACID" for a 2" diameter pipe would be part number 1202B
- Contact us for custom markers



Legend	Color	Part #	Legend	Color	Part #	Legend	Color	Part #
#2 FUEL OIL	YEL	1039	FILTERED WATER	GRN	9914	OXYGEN	BLU	1234
#6 FUEL OIL	YEL	1040	FILTRATE	YEL	9913	PLANT AIR	BLU	9924
150# STEAM	GRN	1200	FIRE PROTECTION WATER	RED	1034	PLANT WATER	GRN	9925
50# STEAM	GRN	1201	FLARE	YEL	1035	POTABLE WATER	GRN	9968
	ORG	1201	FLOOR DRAIN	YEL	1035		GRN	1069
ACID ALUM						PROCESS WATER RETURN		
	YEL	1006	FLUSH WATER	YEL	1061	PROCESS WATER RETURN	GRN	1149
AMINE	YEL	1054	FOUL CONDENSATE	YEL	9949	PROCESS WATER SUPPLY	GRN	1150
AMMONIA	ORG	1203	FRESH WATER	GRN	1037	PROPANE	YEL	9971
ASBESTOS FREE INSULATION	BLU	1157	FUEL GAS	YEL	1038	PULP	YEL	9962
BIOCIDE	YEL	1008	FUEL OIL	YEL	9950	QUENCH WATER	YEL	1129
BLACK DYE	YEL	1009	GAS	YEL	1144	RAFFINATE	YEL	1070
BLACK LIQUOR	YEL	9903	GLYCOL	ORG	1214	RAW WATER	GRN	9963
BLEACHED STOCK	YEL	9904	GLYCOL RETURN	ORG	1215	RED DYE	YEL	9972
BLUE DYE	YEL	1010	GLYCOL SUPPLY	ORG	1216	REJECTS	YEL	9927
BOILER BLOWDOWN	GRN	1204	GREEN LIQUOR	YEL	9915	RELIEF	ORG	1235
BOILER DRAIN	GRN	1205	GROUNDWOOD	GRN	1041	RETENTION AID	YEL	9974
BOILER FEEDWATER	GRN	1206	HARDWOOD STOCK	YEL	9916	ROOF DRAIN	GRN	9975
BREATHING AIR	BLU	1102	HEATING WATER RETURN	GRN	1217	SALTCAKE	YEL	9976
BROKE	YEL	9905	HEATING WATER SUPPLY	GRN	1218	SANITARY DRAIN	GRN	1131
BROWN STOCK	YEL	9906	HEAVY BLACK LIQUOR	YEL	9951	SANITARY SEWER	GRN	1130
BUTADIENE	YEL	1014	HEXANE	YEL	1043	SEAL WATER	GRN	9928
BUTANE	YEL	1013	HI PRESS CONDENSATE	GRN	1219	SHOWER WATER	YEL	9977
BUTENE	YEL	1055	HI PRESS GAS	YEL	1113	SIZE	YEL	9978
CALCIUM CARBONATE	YEL	9942	HI PRESS SHOWER WATER	YEL	1045	SOAP	YEL	9979
CATALYST	YEL	1015	HI PRESS STEAM	GRN	1220	SODA ASH	YEL	9980
CAUSTIC	ORG	1207	HOT GAS	YEL	1115	SODIUM CHLORATE	ORG	1236
CAUSTIC SODA	ORG	1208	HOT WATER	GRN	1221	SODIUM HYDROXIDE	ORG	1237
CHILLED WATER RETURN	GRN	1016	HOT WATER RETURN	GRN	1222	SOFT WATER	GRN	1151
CHILLED WATER SUPPLY	GRN	1017	HOT WATER SUPPLY	GRN	1223	SOFTWOOD STOCK	YEL	9929
CHLORINE	ORG	1209	HYDRAULIC OIL	YEL	9917	STARCH	ORG	1238
CHLORINE DIOXIDE	YEL	9909	HYDROCHLORIC ACID	ORG	1224	STEAM	GRN	9938
CIP RETURN	ORG	1210	HYDROGEN	ORG	1225	STEAM CONDENSATE	GRN	1239
CIP SUPPLY	ORG	1211	HYDROGEN PEROXIDE	YEL	1048	STOCK	GRN	9930
CITY WATER	GRN	1140	HYDROGEN SULFIDE	YEL	1048	STORM DRAIN	GRN	1153
CLARIFIED WHITE LIQUOR	YEL	1018	IGNITER GAS	YEL	1050	STORM SEWER	GRN	1154
CLEAN CONDENSATE	YEL	1019	INSTRUMENT AIR	BLU	9918	STORM WATER	GRN	1071
	YEL	1019		ORG	1226		YEL	9959
CLOUDY WHITE WATER	YEL	1020	INSTRUMENT NITROGEN	YEL	1051	STRONG BLACK LIQUOR SULFUR DIOXIDE	ORG	1240
COATING SHAPPY			ISO-BUTANE			SULFURIC ACID		
COATING SLURRY	YEL	1056	ISO-BUTYLENE	YEL	1052		ORG	1241
COLD WATER	GRN	1141	KEROSENE	YEL	1062	TALL OIL	YEL	9995
COMPRESSED AIR	BLU	1022	LO PRESS CONDENSATE	GRN	1227	TITANIUM DIOXIDE	YEL	9996
COMPRESSED AIR	YEL	1057	LO PRESS STEAM	GRN	1228	TOWER WATER RETURN	GRN	9997
CONDENSATE	GRN	1212	LUBE OIL	YEL	9920	TOWER WATER SUPPLY	GRN	9998
CONDENSER WATER RETURN	GRN	1023	LUBE OIL RETURN	YEL	1147	TREATED WATER	GRN	9999
CONDENSER WATER SUPPLY	GRN	1024	LUBE OIL SUPPLY	YEL	1148	TURPENTINE	YEL	1001
CONTAMINATED CONDENSATE	YEL	1028	MAKE UP WATER	GRN	1053	UNBLEACHED STOCK	YEL	9960
COOLING WATER	GRN	1025	MED PRESS CONDENSATE	YEL	9946	UTILITY WATER	GRN	1242
COOLING WATER RETURN	GRN	1106	MEDIUM PRESS STEAM	GRN	1229	VACUUM	ORG	1243
COOLING WATER SUPPLY	GRN	1107	METHANOL	ORG	1230	VENT	ORG	1244
CRUDE OIL	YEL	1026	MILL AIR	BLU	9921	WASTE OIL	YEL	1073
DEFOAMER	YEL	9911	MILL WATER	GRN	9922	WASTE WATER	YEL	1002
DEMINERALIZED WATER	GRN	1027	MTBE	YEL	1063	WATER	GRN	1159
DILUTION WATER	YEL	9948	NATURAL GAS	YEL	9923	WATER	ORG	1245
DRAIN	ORG	1213	NITROGEN	ORG	1231	WEAK BLACK LIQUOR	YEL	9937
DRINKING WATER	GRN	1030	NON CONDENSABLE GAS	YEL	9953	WEAK WASH	YEL	9961
EFFLUENT	YEL	1031	NON POTABLE WATER	GRN	1232	WELL WATER	GRN	1155
ETHYLENE	YEL	1032	NORMAL BUTANE	YEL	1067	WHITE LIQUOR	YEL	9939
ETHYLENE GLYCOL	YEL	1109	OFF GAS	YEL	1068	WHITE WATER	YEL	9940
FEED STOCK	YEL	1033	OVERFLOW	ORG	1233	YELLOW DYE	YEL	1003



CONDENSATE

MS-970 Coiled Pipe Markers

MS-970 Coiled Pipe Markers are constructed of semi-rigid material and are designed to identify piping in a wide variety of environments, especially in applications where the pipe surface is rough, oily, or wet. They stay in place on pipes due to the memory of the coiling process, and therefore do not rely on adhesives. Complies with ANSI/ASME A13.1.

Features

- Indoor use only
- · Coiled construction quickly snaps around pipes
- No pipe surface preparation needed
- Self-locking adhesive strip keeps marker in place even on vertical pipes
- Plastic nylon straps are included to secure marker in place on pipes 6" or larger
- Can be removed and reused
- Flow direction arrows are printed on each marker
- ANSI/ASME A13.1-1996 colors available upon request

Custom MS-970 Coiled Pipe Markers

- No setup charges or minimum order quantity
- Include any combination of the following items to make up the marker legend: pipe contents, origin (from) and destination (to), line numbers, equipment numbers, and flow direction
- Custom sizes and colors available

Pipe Diameter (Including Insulation)	Marker) Style	Marker Width	Character Height	Marker Type
3/8" - 1/2"	TM	3"	1/4"	Coiled
1/2" - 1"	Α	8"	1/2"	Coiled
11/8" - 21/4"	В	8"	3/4"	Coiled
23/8" - 31/4"	C	12"	11/4"	Coiled
33/8" - 41/2"	D	12"	11/4"	Coiled
45/8" - 57/8"	E	12"	11/4"	Coiled
6" - 71/8"	*F	12"	11/4"	Strap-On
8" - 10"	*G	24"	21/2"	Strap-On
Over 10"	*H	32"	31/2"	Strap-On

^{*}Style F Markers include two 36" nylon straps

^{*}Style G Markers include three 36" nylon straps

^{*}Style H Markers include three 48" nylon straps

^{*}Additional straps available if needed, see mounting options on **page 60.**

Order MS-970 Coiled Pipe Markers

- Determine the four-digit part number for each legend
- Use the marker style table at the bottom right corner of **page 4** to determine size of marker desired
- Example: The marker "ACID" for a 2" diameter pipe would be part number 9800B
- Contact us for custom markers

FILTERED WATER



Legend	Colo	Part #	Legend	Color	Part #	Legend	Color	Part #
ACID	ODC		FIRE DROTECTION I MATER	DED		OWICEN	ODC	
ACID VENIT	ORG	9800	FIRE PROTECTION WATER	RED	9826	OXYGEN	ORG	9690
ACID VENT	ORG	9641	FIRE SPRINKLER WATER	RED	9736	PLANT AIR	BLU	9691
ACID WASTE	ORG	9642	FREON	ORG	9664	POLYMER SOLUTION	YEL	9743
AIR	BLU	9875	FUEL GAS	YEL	9886	POTABLE WATER	GRN	9848
ALUM	YEL	9876	FUEL OIL	YEL	9828	PROCESS WATER DETURN	GRN	9853
AMMONIA	ORG	9643	FUEL OIL RETURN	YEL	9737	PROCESS WATER RETURN	GRN	9703
ARGON	ORG	9644	FUEL OIL SUPPLY	YEL	9738	PROCESS WATER SUPPLY	GRN	9704
ASBESTOS FREE INSULATION	BLU	9729	GAS	YEL	9829	PROPANE	YEL	9849
BOILER BLOWDOWN	GRN	9645	GLYCOL RETURN	ORG	9665	PUMPED CONDENSATE	GRN	9693
BOILER FEEDWATER	GRN	9646	GLYCOL SUPPLY	ORG	9666	RAW WATER	GRN	9850
BRINE	ORG	9647	HEATING HOT WATER RETURN	GRN	9667	REFRIGERANT LIQUID	YEL	9706
BYPASS	ORG	9648	HEATING HOT WATER SUPPLY	GRN	9668	REFRIGERANT SUCTION	YEL	9707
CARBON DIOXIDE	ORG	9649	HEATING RETURN	YEL	9832	RETURN	ORG	9722
CAUSTIC	ORG	9650	HEATING SUPPLY	YEL	9833	RETURN	GRN	9851
CHEMICAL FEED	ORG	9651	HEATING WATER RETURN	GRN	9669	ROOF DRAIN	GRN	9872
CHILLED WATER	GRN	9807	HEATING WATER SUPPLY	GRN	9670	SANITARY DRAIN	GRN	9708
CHILLED WATER RETURN	GRN	9808	HI PRESS CONDENSATE	GRN	9671	SANITARY SEWER	GRN	9709
CHILLED WATER SUPPLY	GRN	9809	HI PRESS GAS	YEL	9871	SANITARY VENT	BLU	9723
CHLORINE		9652	HI PRESS STEAM	GRN	9672	SANITARY WASTE	GRN	9755
CHLORINE SOLUTION	YEL	9731	HI PRESS STEAM	YEL	9835	SEAL WATER	GRN	9711
CIRCULATING WATER	GRN	9811	HOT WATER	GRN	9673	SERVICE AIR	YEL	9746
CITY WATER	GRN	9813	HOT WATER RETURN	GRN	9674	SOFT COLD WATER	GRN	9756
COLD WATER	GRN	9814	HOT WATER SUPPLY	GRN	9675	SOFT WATER	GRN	9712
COLD WATER RETURN	GRN	9866	HYDRAULIC OIL	YEL	9889	SPRINKLER WATER	RED	9854
COLD WATER SUPPLY	GRN	9867	HYDROCHLORIC ACID	YEL	9739	STEAM	GRN	9724
COMPRESSED AIR	YEL	9815	HYDROGEN	ORG	9676	STEAM CONDENSATE	GRN	9725
COMPRESSED AIR	BLU	9732	INDUSTRIAL COLD WATER	GRN	9891	STORM DRAIN	GRN	9873
CONDENSATE	GRN	9653	INDUSTRIAL HOT WATER	GRN	9677	STORM SEWER	GRN	9868
CONDENSATE DRAIN	GRN	9654	INSTRUMENT AIR	BLU	9892	STORM WATER	GRN	9714
CONDENSATE RETURN	GRN	9655	LAB AIR	ORG	9678	SULFURIC ACID	ORG	9726
CONDENSATE SUPPLY	GRN	9656	LAB VACUUM	ORG	9679	SUMP PUMP DISCHARGE	GRN	9744
CONDENSER WATER	GRN	9819	LAB WASTE	ORG	9680	SUPPLY	ORG	9747
CONDENSER WATER RETURN	GRN	9864	LO PRESS CONDENSATE	GRN	9681	SUPPLY	GRN	9856
CONDENSER WATER SUPPLY	GRN	9865	LO PRESS STEAM	GRN	9682	TEMPERED WATER	GRN	9757
COOLING WATER	GRN	9820	LO PRESS STEAM	YEL	9839	TOWER WATER RETURN	GRN	9749
COOLING WATER RETURN	GRN	9882	LUBE OIL	YEL	9896	TOWER WATER SUPPLY	GRN	9750
COOLING WATER SUPPLY	GRN	9883	MAKE UP WATER	GRN	9840	TREATED WATER	GRN	9874
DEIONIZED WATER	GRN	9821	MED PRESS CONDENSATE	GRN	9683	UTILITY WATER	YEL	9751
DOMESTIC COLD WATER	GRN	9822	MED PRESS STEAM	GRN	9684	VACUUM	PUR	9758
DOMESTIC COLD WATER RETURN		9770	MED PRESS STEAM	YEL	9841	VACUUM	ORG	9759
DOMESTIC COLD WATER SUPPLY	GRN	9771	MEDICAL AIR	BLU	9685	VENT	ORG	9760
DOMESTIC HOT WATER		9657	MEDICAL VACUUM	WHT	9753	VENT	BLU	9761
DOMESTIC HOT WATER RECIRC	GRN	9658	METHANOL	YEL	9898	WASTE	ORG	9762
DOMESTIC HOT WATER RETURN		9659	MILL AIR	BLU	9727	WASTE WATER	ORG	9763
DRAIN		9660	MILL WATER	GRN	9728	WATER	ORG	9764
DRAIN		9824	NATURAL GAS	YEL	9842	WATER	GRN	9860
DRAIN	YEL	9734	NITROGEN	ORG	9686	WELL WATER	GRN	9721
DRINKING WATER		9735	NITROUS OXIDE	ORG	9687			
DUAL TEMP RETURN		9661	NON POTABLE WATER	GRN	9688			
DUAL TEMP SUPPLY		9662	OIL	YEL	9845			
EXHAUST	BLU	9663	OVERFLOW	ORG	9689			
ENTINOST ENTERED MATER	CDN	0005	OVVCEN	DILL	0700			



BLU

9700

GRN 9885

OXYGEN

DOMESTIC COLD WATER

COMPRESSED AIR

NATURAL GAS

MS-900 Self-Adhesive Pipe Markers

For line service identification and system color-coding.

- Complies with ANSI/ASME A13.1
- Printed on premium quality, fade-resistant material
- Adheres well to pipe and insulation with only limited surface preparation
- Markers can be used with arrow tape or separate arrow markers to indicate flow direction (see page 15 for arrow tape)
- · Add UV Overlaminate for outdoor use

Custom MS-900 Self-Adhesive Pipe Markers

- No set-up charges or minimum quantity requirement
- Custom colors available
- ANSI/ASME A13.1-1996 colors available upon request

Legend	Color	Α	В	С	D
2 PSI GAS	YEL	91100	92100		
2 PSI NATURAL GAS	YEL	91545	92545		
ACETYLENE GAS	YEL	91101	92101		
120° HOT WATER 140° HOT WATER	GRN GRN	91226	92226		
160° HOT WATER	GRN	91228	92228		
ACID	ORG	91229	92229		
ACID VENT	ORG	91241	92241	93241	94241
ACID WASTE	ORG	91231	92231		
AIR AIR	YEL BLU	91103 91211	92103 92211		
AMMONIA	ORG	91211	92232	93232	94232
ARGON	ORG	91233	92233	JJLJL	J-1232
ARROWS	BLK	91205	92205	93205	94205
ARROWS	BRN	91206	92206	93206	94206
ARROWS	GRY	91207	92207	93207	94207
ARROWS ARROWS	ORG PUR	91223 91224	92223 92224	93223 93224	94223 94224
ARROWS	WHT	91225	92225	93225	94224
ARROWS	GRN	91209	92209	93209	94209
ARROWS	RED	91210	92210	93210	94210
ARROWS	BLU	91212	92212	93212	94212
ARROWS	YEL	91208	92208	93208	94208
ASBESTOS FREE INSULATION BOILER BLOWDOWN	BLU GRN	91107 91234	92107 92234		
BOILER FEED	GRN	91235	92235		
BOILER FEEDWATER	GRN	91237	92237	93237	94237
BREATHING AIR	BLU	91401	92401		
CARBON DIOXIDE	ORG	91238	92238		
CAUSTIC	ORG ORG	91239 91242	92239 92242		
CHEMICAL FEED CHILLED WATER	GRN	91242	92242	93114	94114
CHILLED WATER RETURN	GRN	91115	92115	93115	94115
CHILLED WATER SUPPLY	GRN	91116	92216	93116	94116
CHLORINE	ORG	91243	92243		
CHLORINE SOLUTION	ORG	91244	92244 92118		
CIRCULATING WATER CITY WATER	GRN GRN	91118 91119	92118	93119	
CLEAN DRY AIR	BLU	91403	92403	55115	
COLD WATER	GRN	91120	92120		
COLD WATER RETURN	GRN	91121	92121		
COLD WATER SUPPLY	GRN	91122	92122		
COMPRESSED AIR COMPRESSED AIR	YEL BLU	91123 91284	92123 92284		
CONDENSATE	GRN	91245	92245	93245	94245
CONDENSATE DRAIN	GRN	91246	92246	332 13	3 12 13
CONDENSATE RETURN	GRN	91247	92247	93247	94247
CONDENSER WATER	GRN	91128	92128	93128	94128
CONDENSER WATER RETURN CONDENSER WATER SUPPLY	GRN GRN	91129 91130	92129 92130	93129 93130	94129 94130
COOLING WATER	GRN	91131	92131	93131	94150
COOLING WATER COOLING WATER RETURN	GRN	91286	92286	JJ 13 1	
COOLING WATER SUPPLY	GRN	91287	92287		
DEIONIZED WATER	GRN	91132	92132		
DEMINERALIZED WATER	GRN	91214	92214		
DIESEL DISCHARGE	YEL ORG	91304 91248	92304 92248		
DOMESTIC COLD WATER	GRN	91136	92246	93136	
DOMESTIC HOT WATER	GRN	91249	92249	93249	
DOMESTIC HOT WATER RECIRC	GRN	91250	92250		

Arrow Style Arrow Size

C

1" x 4" 21/4" x 61/2"

4" x 12" 4" x 12"

Marker Style	Pipe Diameter (Including Insulation)	Marker Size	Character Height
Α	3/4" - 21/4"	1" x 8"	3/4"
В	21/2" - 71/8"	21/4" x 13"	13/4"
C	8" - 10"	4" x 24"	21/2"
D	Over 10"	4" x 32"	31/2"

Legend	Color	Α	В	C	D	Legend	Color	Α	В	c	D
DOMESTIC HOT WATER RETURN DOMESTIC HOT WATER SUPPLY	GRN	91251 91252	92251 92252			NITROGEN	BLK	91169	92169		
DOMESTIC HOT WATER SUPPLY	GRN	91325	92325			NITROUS OXIDE NON POTABLE WATER	ORG GRN	91346 91347	92346 92347	93347	94347
DRAIN	ORG	91262	92262	93262		OIL	YEL	91171	92171		
DRAIN DUAL TEMP RETURN	GRN GRN	91137 91263	92137 92263	93137		OIL FREE AIR OUTSIDE AIR OXYGEN OXYGEN OXYGEN PLANT AIR	BLU BLU	91413 91329	92413 92329	93329	
DUAL TEMP SUPPLY	GRN	91264 91265	92264			OXYGEN	BLU ORG	91348 91349			
EVACUATION VACUUM EVACUATION VACUUM	PUR ORG	91268	92265 92268			OXYGEN OXYGEN	GRN	91330	92349		
EXHAUST	BLU	91268 91269	92268 92269	02270		PLANT AIR	BLU	91350	92350		
EXHAUST AIR FEEDWATER	BLU GRN	91271	92270 92271	93270		PLANT WATER POTABLE WATER	GRN GRN	91174 91175	92174		
FILTERED WATER	GRN	91253	92253		94253	POTABLE COLD WATER	GRN GRN	91414			
FIRE PROTECTION WATER FIRE SPRINKLER WATER	RED RED	91142 91143	92142 92143	93142		POTABLE HOT WATER PROCESS WATER	YEL	91351 91176			
FREON	GRN	91144	92143 92144			PROCESS WATER	GRN	91220	92220	02416	04416
FUEL GAS FUEL OIL	YEL YEL	91145 91146	92145 92146			PROCESS COOLING WATER RETURN PROCESS COOLING WATER SUPPLY	GRN	91416 91417		93416	94416 94417
FUEL OIL RETURN	YEL	91332	92332			PROCESS VACUUM	ORG	91352	92352	30	3
FUEL OIL SUPPLY GAS	YEL YEL	91333 91147	92333 92147			PROPANE GAS PUMPED CONDENSATE	YEL GRN	91177 91353	92177 92353	93353	
GASOLINE	YEL	91148	92148			RAINWATER	GRN	91419	92419		0.1.1=0
GLYCOL GLYCOL RETURN	ORG ORG	91273 91274	92273 92274	93273	94273	RAW WATER RECIRCULATING HOT WATER	GRN GRN	91178 91354	92178 92354	93178	94178
GLYCOL SUPPLY	ORG	91275	92275			REFRIGERANT REFRIGERANT LIQUID	YEL	91179	92179		
HALON HEATING	RED YEL	91150 91151	92150 92151			REFRIGERANT LIQUID REFRIGERANT SUCTION	YEL YEL	91180 91181	92180 92181		
HEATING HOT WATER RETURN	GRN	91276	92276	93276		RFI IFF AIR	BLU	91281	92281	93281	
HEATING HOT WATER SUPPLY HEATING RETURN	GRN YEL	91277 91152	92277 92152	93277 93152		RETURN AIR RETURN	BLU ORG	91282 91355	92282 92355	93282 93355	
HEATING SUPPLY	YEL	91153	92153 92278	93153		RETURN	GRN	91183	92183	93183	
HEATING WATER SURPLY	GRN GRN	91278 91279	92278 92279	93278 93279		ROOF DRAIN	GRN GRN	91184	92184	93184 93236	
HEATING WATER SUPPLY HI PRESS AIR	YEL	0115/	9215 <i>1</i>	95219		SANITARY SEWER	GRN	91185	92185	93185	
HI PRESS AIR HI PRESS CONDENSATE	BLU GRN	91218 91280	92218 92280	93280	94280	ROOF DRAIN SANITARY DRAIN SANITARY SEWER SANITARY VENT SANITARY WASTE SFAI WATER	BLU GRN	91356 91298	92356 92298		
HI PRESS GAS	YEL	91155	92155	93200	94200		GRN	91267	92267		
HI PRESS GAS HI PRESS STEAM	GRN	91307		93307	94307	SERVICE AIR SLUDGE	BLU ORG	91357 91359	92357		
HOT GAS HOT WATER	YEL GRN	91327 91308	92327 92308	93308	94308	SLUDGE SODIUM HYDROXIDE SOFT WATER STEAM	ORG	91360	92360		
HOT WATER RETURN	GRN	91311	92311 92312	93311	94311	SOFT WATER STEAM	GRN GRN	91187 91361	92187 92361	93361	0/261
HOT WATER SUPPLY HOUSE VACUUM	GRN PUR	91312 91309	92312	93312 93309	94312	STORM DRAIN	GRN	91299	92299	93299	34301
HYDRAULIC FLUID	YEL	91309 91257	92309 92257			STORM SEWER	GRN GRN	91300 91301	92300 92301	93300 93301	
HYDROCHLORIC ACID HYDROGEN	ORG ORG	91313 91323	92313 92323	93323	94323	STORM WATER SUCTION	ORG	91362	92362	93301	
HYDROGEN PEROXIDE	ORG	91324	92324			SUCTION SULFURIC ACID SUMP PUMP DISCHARGE SUPPLY SUPPLY SUPPLY SUPPLY AIR	ORG GRN	91364 91365	92364 92365		
HYDROGEN SULFIDE INDUSTRIAL COLD WATER	YEL GRN	91306 91295	92306 92295			SUPPLY	ORG	91366	92366	93366	94366 94193
INDUSTRIAL HOT WATER	GRN	91335	92335			SUPPLY	GRN BLU	91193 91283	92193 92283	93193 93283	94193
INDUSTRIAL WASTE INSTRUMENT AIR	ORG GRN	91336 91162	92336 92162	93162		SUPPLY AIR TEMPERED WATER TOLUENE	GRN	91367	92367	33203	
INSTRUMENT AIR	BLU	91219	92219			TOLUENE TOWER WATER	YEL GRN	91194 91195	92194 92195	93195	
INSTRUMENT NITROGEN LO PRESS AIR	BLU BLU	91406 91339	92406 92339			TOWER WATER RETURN	GRN	91319	92319	93319	
LO PRESS CONDENSATE	GRN	91340	92340	93340	94340	TOWER WATER SUPPLY TREATED WATER	GRN GRN	91320 91196	92320 92196	93320	
LO PRESS GAS LO PRESS STEAM	YEL GRN	91164 91341	92164 92341	93341	94341	ULTRA PURE WATER	GRN	91420	92420		
LUBE OIL	YEL	91166	92166 92407			UTILITY NITROGEN UTILITY WATER	GRN GRN	91421	92421 92422		
LUBE OIL RETURN LUBE OIL SUPPLY	YEL YEL	91407 91408	92407			VACUUM	ORG	91422 91371	92371	93371	94371
MAKE UP WATER	GRN	91167	92408 92167	02240	0.40.40	VACUUM	GRN	91197 91372 91373	92197	93197	
MED PRESS CONDENSATE MED PRESS STEAM	GRN GRN	91342	92342	93342 93343	94342 94343	VENT VENT	BLU ORG	91372	92372 92373	93373	94373
MEDICAL AIR	BLU	91344	92344	100 40	5 .5 .5	WAGD	PUR	91432 91374	92432 92374		
MEDICAL VACUUM MILL AIR	WHT BLU	91411 91260	92411 92260	93260		WASTE WASTE	ORG YEL	91202	92202		
MILL WATER	GRN	91261	92261	93261	94261	WASTE WATER	ORG	91375	92375	93375	94375
NATURAL GAS NITROGEN	YEL ORG	91168 91345	92168	93168		WATER WATER	GRN YEL	91203 91204	92203	93203 93204	
	0.10	5.5.5	3_3.3			WELL WATER	GRN	91321			



Shop online today!





MS-900 Self-Adhesive Economy Pipe Markers

Printed on premium quality fade-resistant material and used to provide line service designations, system color-coding, or various labeling needs. Economy markers come standard in sheet form, which is supplied with 5 arrows & markers per sheet, with no minimum order requirements.

- Roll form is also available, see below for more information
- Markers are 2" x 9" and the directional arrows are 2" x 4½". Letter/arrow height is 1¼"
- Scores between markers and arrows ensure easy handling and application
- Use separately or with banding tape for complete lowcost marking system



Roll form is supplied in increments of 6 rolls of 50 identical markers and flow directional arrows, with a minimum of 6 rolls per text/background combination.

Legend	Color	Part #
ACID	YEL	65101
AIR	BLU	65102
BOILER FEEDWATER	YEL	65140
CHILLED WATER	GRN	65106
CHILLED WATER RETURN	GRN	65129
CHILLED WATER SUPPLY	GRN	65130
CITY WATER	GRN	65107
COLD WATER	GRN	65108
COMPRESSED AIR	YEL	65109
CONDENSATE	YEL	65110
CONDENSATE RETURN	YEL	65141
CONDENSER WATER	GRN	65111
CONDENSER WATER RETURN	GRN	65142
CONDENSER WATER SUPPLY	GRN	65143
DEIONIZED WATER	GRN	65144
DOMESTIC COLD WATER	GRN	65131
DOMESTIC HOT WATER	YEL	65132
DRAIN	GRN	65112
EXHAUST AIR	YEL	65160
FIRE PROTECTION WATER	RED	65113
FUEL OIL	YEL	65145
GAS	YEL	65114
GLYCOL	YEL	65146
HEATING	YEL	65115
HEATING RETURN	YEL	65133
HEATING SUPPLY	YEL	65134
HEATING WATER RETURN	YEL	65156
HEATING WATER SUPPLY	YEL	65157
HI PRESS CONDENSATE	YEL	65147
HI PRESS STEAM	YEL	65148
HOT WATER	YEL	65135
HOT WATER RETURN	YEL	65136
HOT WATER SUPPLY	YEL	65137
INTAKE AIR	BLU	65161
LO PRESS CONDENSATE	YEL	65149
LO PRESS STEAM	YEL	65150
NATURAL GAS	YEL	65116
NITROGEN	GRN	65151
NON POTABLE WATER	YEL	65138
OIL	YEL	65117
OUTSIDE AIR	BLU	65162
OXYGEN	YEL	65118 65119
POTABLE WATER RECIRCULATING HOT WATER	GRN	
RELIEF AIR	YEL BLU	65159 65163
RETURN	YEL	65120
RETURN	GRN	65121
RETURN AIR	BLU	65164
ROOF DRAIN	GRN	65152
SANITARY DRAIN	GRN	65158
SANITARY DRAIN SANITARY SEWER	GRN	65153
SPRINKLER WATER	RED	65122
STEAM	YEL	65123
SUPPLY	YEL	65124
SUPPLY	GRN	65125
SUPPLY AIR	BLU	65165
VACUUM	YEL	65126
VENT	YEL	65127
WASTEWATER	YEL	65154
WATER	GRN	65128
	J	35.20

MS-900 Self-Adhesive Medical Gas Markers

MS-900 Self-Adhesive Medical Gas Markers are an economical and easy way to mark tubing or piping less than ³/₄" in diameter. Manufactured per NFPA-99C; CGA C9-2002.

- Legend and flow direction arrows are combined on one pressure-sensitive marker
- Markers are 3" x 3" and wrap completely around the pipe for easy installation
- 4" x 4" & 6" x 6" also available upon request
- Supplied in rolls of 100, or individual pieces for ordering the exact quantity of labels you need



Legend	Color	Letter Color	Part #
CARBON DIOXIDE	GRY	WHT	68501
CARBON DIOXIDE 50 PSI	GRY	WHT	68502
HELIUM	BRN	WHT	68503
LAB AIR	YEL & WHT CHECKERED	BLK	68518
LAB VAC	BLK & WHT CHECKERED	BLK	68519
MEDICAL AIR	YEL	BLK	68504
MEDICAL AIR 50 PSI	YEL	BLK	68512
MEDICAL EVAC	PUR	WHT	68510
MEDICAL VACUUM	WHT	BLK	68506
NITROGEN	BLK	WHT	68507
NITROGEN 160 PSI	BLK	WHT	68514
NITROUS OXIDE	BLU	WHT	68508
NITROUS OXIDE 50 PSI	BLU	WHT	68516
OXYGEN	GRN	WHT	68509
OXYGEN 50 PSI	GRN	WHT	68517
WAGD	PUR	WHT	68511

MS-900 Self-Adhesive Small-Bore Markers

MS-900 Self-Adhesive Small-Bore Markers are an economical and easy way to mark tubing or piping less than 1" in diameter. Our tubing and small-bore markers are suitable for line marking identification and system color-coding.

- Legend and flow direction arrows are combined on one pressure-sensitive marker
- Supplied in rolls of 100, or individual pieces for ordering the exact quantity of labels you need
- ANSI/ASME A13.1-1996 colors available upon request



Legend	Color	Part #
ACETYLENE	YEL	66501
ACID	YEL	66502
AIR	BLU	66503
CAUSTIC	YEL	66504
CHEMICAL FEED	YEL	66505
CHLORINE	YEL	66506
CHLORINE LIQUID	YEL	66507
CHLORINE SOLUTION	YEL	66508
CLEAN DRY AIR	BLU	66529
COMPRESSED AIR	YEL	66509
DEIONIZED WATER	GRN	66510
DEMINERALIZED WATER	GRN	66511
DOMESTIC COLD WATER	GRN	66512
DOMESTIC HOT WATER	GRN	66538
EVACUATION VACUUM	YEL	66514
GAS	YEL	66528
HELIUM	YEL	66527
HYDRAULIC OIL	YEL	66515
HYDROGEN	YEL	66516
INSTRUMENT AIR	BLU	66517
LAB AIR	YEL	66519
LAB GAS	YEL	66520
LAB VACUUM	YEL	66521
LUBE OIL	YEL	66522
NATURAL GAS	YEL	66524
PLANT AIR	BLU	66518
SAMPLE	YEL	66525
VACUUM	YEL	66526
VENT	YEL	66530



MS-900 Self-Adhesive Mini Pipe Markers

These Self-Adhesive Mini Pipe Markers (style "T") are great for labeling $\frac{1}{4}$ " - $\frac{3}{4}$ " process lines, tool connections, or utility piping. Our Mini Pipe Markers are suitable for line marking identification and system color-coding.

- Identify piping carrying chemicals and gases used in the production of semi-conductors and components
- Custom legends, chemical abbreviations, and point of connection labels are available
- Style T markers are ½" x 2½" and sold 10 labels per sheet



Legend	Color	Part #	Legend	Color	Part #
ACETLYENE GAS	YEL	95000	HOUSE VACUUM	YEL	95037
ACID	YEL	95001	INDUSTRIAL COLD WATER	GRN	95039
ACID WASTE DRAIN	YEL	95002	INDUSTRIAL HOT WATER	YEL	95040
AMMONIA	YEL	95003	INSTRUMENT AIR	BLU	95041
AMMONIA HYDROXIDE	YEL	95004	INSTRUMENT NITROGEN	BLU	95042
ARGON	BLU	95073	ISOPROPYL ALCOHOL	YEL	95043
ARROW	YEL	95005	LUBE OIL	YEL	95044
ARROW	GRN	95006	METHANOL	YEL	95045
ARROW	BLU	95007	NATURAL GAS	YEL	95046
ARROW	RED	95008	NITROGEN	BLU	95074
BORON TRICHLORIDE	YEL	95009	NITRIC ACID	YEL	95047
BREATHING AIR	BLU	95010	NITROGEN TRIFLUORIDE	YEL	95048
CAUSTIC	YEL	95011	NITROUS OXIDE	YEL	95049
CHEMICAL FEED	YEL	95012	OIL FREE AIR	BLU	95050
CHILLED WATER RETURN	GRN	95013	OXYGEN	YEL	95051
CHILLED WATER SUPPLY	GRN	95014	OUTSIDE AIR	BLU	95052
CHLORINE	YEL	95015	OZONE	YEL	95053
CHLORINE SOLUTION	YEL	95016	PHOSPHORIC ACID	YEL	95054
CITY WATER	GRN	95017	PLANT AIR	BLU	95055
CLEAN DRY AIR	BLU	95018	PROCESS COOLING WATER RET		95056
COMPRESSED AIR	BLU	95019	PROCESS COOLING WATER SUP	GRN	95057
CORROSIVE VENT	YEL	95020	PROCESSED EXHAUST	YEL	95058
DEIONIZED WATER	GRN	95021	PROCESSED VACUUM	YEL	95059
DEIONIZED WATER RETURN	GRN	95022	RO RETURN	GRN	95060
DEIONIZED WATER SUPPLY	GRN	95023	RO SUPPLY	GRN	95061
DEMINERALIZED WATER	GRN	95024	SILANE	YEL	95063
DOMESTIC COLD WATER	GRN	95025	SOLVENT RECLAIM	YEL	95075
DOMESTIC HOT WATER	YEL	95026	SOLVENT VENT	YEL	95064
ETHYLENE GLYCOL	YEL	95027	SULFUR HEXAFLUORIDE	YEL	95065
EVACUATION VACUUM	YEL	95028	SULFURIC ACID	YEL	95066
FREON	YEL	95029	ULTRA PURE NITROGEN	BLU	95072
GAS	YEL	95030	ULTRA PURE WATER DI RET	YEL	95076
HELIUM	YEL	95031	ULTRA PURE WATER DI SUP	YEL	95077
HIGH PURITY NITROGEN	YEL	95032	ULTRA PURE WATER RET	GRN	95067
HYDRAULIC OIL	YEL	95038	ULTRA PURE WATER SUP	GRN	95068
HYDROFLUORIC ACID	YEL	95033	UTILITY NITROGEN	BLU	95069
HYDROGEN	YEL	95034	UTILITY WATER	GRN	95070
HYDROGEN BROMIDE	YEL	95035	VACUUM	BLU	95071
HYDROGEN CHLORIDE	YEL	95036	WATER	GRN	95078

MS-900 Self-Adhesive Duct Markers with Attached Scored Arrow

Used to identify the air flow and equipment in a ductwork system.

- Highly visible color-coded labels make it easy to differentiate between different systems
- Scored arrow markers designate direction of flow
- Markers can be customized to designate the specific system or equipment of origin

Legend	Color	Style A	Style B	Style C	Style D
EXHAUST AIR	YEL	63005	63105	63205	63305
INTAKE AIR	BLU	63020	63120	63220	63320
OUTSIDE AIR	BLU	63009	63109	63209	63309
RELIEF AIR	BLU	63011	63111	63211	63311
RETURN AIR	BLU	63012	63112	63212	63312
SUPPLY AIR	BLU	63016	63116	63216	63316




MS-900 Self-Adhesive Plenum Duct Markers

Plenum Duct Markers are metalized self-adhesive labels tested to meet the requirements of E-84-03 "Standard Test Method" for surface burning characteristics of building materials.

- Available with black text on metallic grey background
- Designed for use in plenums to help prevent the spread of smoke and gases in the event of a fire
- Custom colors available

Legend	Color	2¼" x 13" Part #	4" x 24" Part #
EXHAUST AIR	METALLIC GREY	92601	93601
INTAKE AIR	METALLIC GREY	92602	93602
OUTSIDE AIR	METALLIC GREY	92603	93603
RELIEF AIR	METALLIC GREY	92604	93604
RETURN AIR	METALLIC GREY	92605	93605
SUPPLY AIR	METALLIC GREY	92606	93606
*ARROW	METALLIC GREY	92607	93607





View Our HVAC Spec 25 05 03



MS-995 Curved Carrier Pipe Markers

MS-995 Curved Carrier Pipe Markers are specifically created to withstand harsh conditions in both indoor and outdoor piping environments. These markers consist of a curved, rigid, strap-on carrier with a durable label affixed. Additionally, the carrier is equipped with two slotted nylon feet to prevent direct contact between carrier and piping. The curved design enhances visibility and minimizes the impact of direct sunlight.

May be used in all applications of piping with ³/₄" and greater outside diameter including insulation. A coated stainless steel banding is recommended.

The foot assembly may be strapped to the pipe prior to attaching the carrier, or the carrier assembly may be strapped as a unit to the pipe, allowing for maximum installation flexibility.

- Designed & tested to withstand up to 150 mph wind velocity for one hour
- Complies with ANSI/ASME A13.1
- See mounting options on page 60





Pipe Diameter	Part #	Marker Size	Carrier Size
3/4" - 17/8"	CAR995MJ	11/2" x 9"	2.2" x 10"
2" - 71/8"	CAR995MF	21/4" x 16"	3½" x 17"
8" or greater	CAR995M	4" x 32"	5" x 33"

MS-995 High-Temperature Stainless Steel Markers

MS-995 Stainless Steel Pipe Markers are for use on piping that has a surface temperature range of up to 350°F.

- Markers consist of durable label mechanically applied to a flat stainless steel carrier
- Includes stand-off brackets with heat-reducing spacers to hold the printed pipe marker away from the heat of the pipe's surface
- See mounting options on page 60



Metal Stencils

Pre-cut stencils are available for an economical way to mark piping. A variety of letter heights are available to comply with ANSI/ASME A13.1 recommendations.

- Reusable
- Durable metal material
- Customizable text



Plastic Stencils

- Reusable
- Customizable text
- Available in multiple sizes



12 oz. Spray Stencil Ink

- Permanent, quick-drying, weather resistant ink
- Provides high-contrast marking on pipes and insulation

Part #	Color
61101	Black
61101WHT	White
61101BLU	Blue
61101RED	Red
61101YEL	Yellow
61101GRE	Green
61101ORG	Orange

Ceiling Locator Tacks

Ceiling Locator Tacks are ideal for marking the location of dampers, booster coils, and controllers above acoustical ceiling tiles. Simply push equipment locator tacks into ceiling tile or insulation near closest access point.

- %" ceiling tacks
- Come in packs of 25
- Serrated ceiling markers with or without removable retention disk fastener available
- Multiple colors available





TAPE

Arrow & Banding Tape

Arrow & Banding Tapes are designed from MS-900 Self-Adhesive material. Use arrow tape to indicate the direction of flow and banding tape for pipe color-coding.

Underground Warning Tape

Underground Warning Tape guards against potentially dangerous or costly scenarios while digging. Available in either detectable or non-detectable options.

MS-511 Barricade & Warning Tape

Designed to alert people of potentially dangerous areas or situations. This highly visible tape keeps your personnel safe.



MS-900 Self-Adhesive Banding Tape

MS-900 Self-Adhesive Banding Tape is used when engineering specifications or customer preferences require pipe color-coding.

- · Add UV Overlaminate for outdoor use
- Complies with MIL-SPEC 101C
- Standard sizes: 1" and 2" wide by 50 yds. long
- Also available in 3", 4", and 6" wide rolls
- Self-adhesive

Color	1" x 50yd Part #	2" x 50yd Part #
YEL	96101	96201
GRN	96102	96202
RED	96103	96203
BLU	96104	96204
BRN	96015	96205
WHT	96106	96206
BLK	96107	96207
GRY	96108	96208
ORG	96109	96209
PUR	96110	96210




MS-900 Self-Adhesive Arrow Tape

Designed to indicate direction of flow when used with MS-900 Pipe Markers.

- Standard roll sizes are 1", 2", and 4" wide by 30 yds. long
- Complies with ANSI/ASME A13.1 requirement to show flow direction
- Custom sizes and colors available
- Self-adhesive

4" x 30 yds. 95401



Pipe Diameter	Tape Length	# Bands/Roll
2"	8" Band	135
4"	14" Band	77
6"	21" Band	51
8"	27" Band	40
10"	35" Band	30
12"	41" Band	26

95402

Size	Yellow w/ Black	Green w/ White	Red w/ White	Blue w/ White	Green w/ Black	Orange w/ Black	White w/ Black
1" x 30 yds.	95101	95102	95103	95104	95105	95106	95107
2" x 30 yds.	95201	95202	95203	95204	95205	95206	95207





95405

95406

95407

Underground Warning Tape

Designed to be buried above metallic underground piping or cables to warn excavators of utility lines and guard against costly and dangerous dig-ins.

- Non-adhesive 4 mil. polyethylene tape, surface printed
- Custom legends available



Legend	Text/Background Color	3" Part #	6" Part #
CAUTION BURIED ELECTRICAL LINE BELOW	BLK/RED	52201	52208
CAUTION BURIED FUEL LINE BELOW	BLK/YEL	52202	52209
CAUTION BURIED NATURAL GAS LINE BELOW	BLK/YEL	52203	52210
CAUTION BURIED PIPE LINE BELOW	BLK/YEL	52204	52211
CAUTION BURIED SEWER LINE BELOW	BLK/GRN	52205	52212
CAUTION BURIED STEAM LINE BELOW	BLK/YEL	52207	52213
CAUTION BURIED WATER LINE BELOW	BLK/BLU	52206	52214
CAUTION CAUTION	BLK/YEL	51116	N/A

Detectable Underground Warning Tape

Detectable Underground Warning Tape locates buried non-metallic pipes before you dig.

- Printed 4.5 mil. foil lets you use any standard metal detector to quickly locate underground services
- Recommended burial depths: 3" tape up to 24" deep; 6" tape – over 24" up to 36" deep
- Custom legends available



Legend	Text/Background Color	3" Part #	6" Part #
CAUTION BURIED ELECTRIC LINE BELOW	BLK/RED	52215	52220
CAUTION BURIED GAS LINE BELOW	BLK/YEL	52216	52221
CAUTION BURIED OXYGEN LINE BELOW	BLK/GRN	52226	52227
CAUTION BURIED PIPE LINE BELOW	BLK/YEL	52217	52222
CAUTION BURIED SEWER LINE BELOW	BLK/GRN	52218	52223
CAUTION BURIED WATER LINE BELOW	BLK/BLU	52219	52224

MS-511 Barricade & Warning Tape

These Barricade & Warning Tapes aid in preventing accidents by increasing the visibility of hazards.

- Custom legends available
- Highly visible
- 4 mil. thickness
- Red, yellow, green, blue, or purple background available



Legend	Text/Background Color	Part #
CAUTION DO NOT ENTER	BLK/YEL	51103
DANGER DO NOT ENTER	BLK/YEL	51104
DANGER DO NOT ENTER	WHT/RED	51104R
DANGER DANGER	BLK/RED	51113
DANGER PELIGRO DANGER	BLK/RED	51114
CAUTION KEEP OUT	BLK/YEL	51115
CAUTION CAUTION	BLK/YEL	51116
CAUTION CUIDADO CAUTION	BLK/YEL	51117



Don't see the tape you need? Go custom!

We can design custom tape to meet your specifications.





TAGS

Valve Tags

Easily communicates the coding of valves and instrumentation. Available in multiple materials such as MS-215, engraved plastic, brass, stainless steel, and aluminum.

2. Equipment Tags

These tags are designed for labeling pumps, fans, air handling units, and other critical equipment. Available in MS-215 flexible or rigid thermoplastic, engraved plastic, stainless steel, or enameled aluminum.

3. Accident Prevention Tags

Our Accident Prevention Tags draw attention to potentially dangerous or abnormal situations. They can be used for tagging equipment to convey specific characteristics, maintenance instructions, procedures, or warnings.



MS-215 Valve Tags

These high-performance tags protect the graphics from environmental conditions, making them the recommended choice for harsh environments. The tags can be secured with a variety of fasteners. Reflective and photoluminescent materials are available upon request.

- Available in sequential or one-off numeric legends
- Excellent outdoor life and chemical resistance
- Comes with one standard grommet
- Custom colors, sizes, and legends available
- Available with QR codes



Brass Valve Tags

Brass Valve Tags are an effective choice for labeling valves and systems.

- Available in sequential or one-off numeric legends
- .032" thick tags are available in 1½" and 2" round or square
- Comes with one standard 3/16" mounting hole
- Custom sizes and legends available



Anodized Aluminum Valve Tags

Easy to read Anodized Aluminum Valve tags provide a highly visible contrast between the engraved legend and the colored background. Use to tag valves, instruments, small piping, cables, or fugitive emission locations.

- Available in sequential or one-off numeric legends
- .032" thick tags are available in 11/2" and 2" round or square
- Comes with one standard 3/16" mounting hole
- Background colors available: green, red, blue, gold, black, orange, and natural
- Custom sizes and legends available





Aluminum Valve Tags

These Aluminum Valve Tags are a durable option for a variety of identification needs. Tags come with high contrast permanent black text that is heat, chemical, and abrasion resistant, making them ideal for harsh environments.

- Can be used indoors/outdoors
- Custom sizes and legends available
- Multiple mounting options available



Stainless Steel Valve Tags

Designed to withstand frequent wash downs, chemical cleanings, high temperatures, and highly corrosive or caustic environments. This makes them an excellent choice for harsh environments.

- Can be used indoors/outdoors
- Black engraved text for visibility & durability
- Custom sizes and legends available
- Available with QR codes



Engraved Plastic Valve Tags

- Engraved legend clearly shows against contrasting background, making the tags easy to read
- Standard tags are engraved on 1/16" plastic with mounting holes or adhesive backing
- 1/8" and 1/16" thick 3 ply available
- Can be used indoors/outdoors
- Custom colors, sizes, and legends available
- Comes with one standard top hole



Engraved Plastic Equipment Tags

- Engraved legend provides high contrast between letter color and background color for easy visibility
- Excellent for in-house maintenance programs, building graphics, and door labels
- For indoor and outdoor applications
- Standard tags are engraved on 1/16" plastic with mounting holes or adhesive backing
- 1/8" and 1/16" thick 3 ply available
- Custom colors, sizes, and legends available



Enameled Aluminum Equipment Tags

Enameled aluminum makes aesthetically pleasing and small durable equipment tags. Standard uses include in-house maintenance programs, machinery numbering, building graphics, and door labels.

- Available in both black and white enameled aluminum
- White enamel recommended for indoor use only, add UV Overlaminate or Rugged-Kote for outdoor use
- Black enamel can be used indoors/outdoors
- Custom colors, sizes, and legends available



OVERHEAD CHILLER

MS-215 Equipment Tags

Complete printing flexibility – each unique tag can include multiple lines of text, equipment numbers, operation and maintenance instructions, safety precautions, or other critical asset information.

- Excellent outdoor life and chemical resistance
- Flexible or rigid material available
- Available with adhesive or grommets
- Custom colors, sizes, and legends available
- Available with QR codes





Stainless Steel Equipment Tags

Stainless Steel Equipment Tags are designed to withstand frequent wash downs, chemical cleanings, high temperatures, and highly corrosive or caustic environments. This makes them an excellent choice for industries with harsh operating environments such as ammonia facilities, offshore rigs, and power plants.

- Can be used indoors/outdoors
- Black engraved text for visibility & durability
- Custom sizes and legends available
- Available with QR codes





Accident Prevention Tags

Used to tag equipment for lockout during maintenance, convey characteristics specific to a piece of equipment, or detail maintenance instructions and operating procedures.

- Highly visible printed legends will remain effective both indoors and outdoors (24-month outdoor use recommended)
- Each Accident Prevention Tag is 5³/₄" x 3" standard size (custom sizes available upon request)
- Stainless steel grommets are used to prevent tearing during use
- Comes with 8" nylon ties for easy installation

Ordering Accident Prevention Tags

- Determine the four-digit part number
- To order self-laminating, add SL before the part number
- To determine which back, add 1 or 2 to the end of the part number
- Example: To order a self-laminating ACID tag with back 1, order part #SL40021. A regular ACID tag with side 2 would be part #40022.
- To place an order: scan the QR code to order online or utilize the contact information listed below











Back 1 Back 2

Self-laminating tags



Part #4001



Part #4002



Part #4003



Part #4004



Part #4005



Part #4006



Part #4007



Part #4008



Part #4009




Part #4010



Part #4011



Part #4012





SIGNS

Equipment Signs

Our Equipment Signs are offered in a variety of materials for different industries. We have options to conform to regulatory & international guidelines, or completely custom options to meet your needs.

2. GHS Signs

Communicate health & safety, chemical, and environment information to facility personnel. With excellent resistance to environmental conditions, these signs are perfect for both indoor and outdoor applications.

Operational & Safety Signs


Provides plant personnel with necessary information regarding hazard & equipment identification and operating procedures. Available in a variety of materials & sizes.



Stainless Steel Signs

Stainless Steel Signs are typically used in harsh environments. They are ideal for nameplates on machinery that continually run at high temperatures, or equipment & instrument identification in corrosive or caustic environments.

- Type 316 Stainless Steel
- Standard signs have radius corners
- Mounting holes or adhesive available for installation
- · Black text is laser engraved for visibility and durability
- Available with QR codes
- Custom sizes and legends available



MS-215 Rigid & Flexible Signs

MS-215 Signs can be used in a variety of ways including naming and numbering tanks, vessels, or pieces of equipment.

- Flexible or rigid material available
- For mounting signs on curved surfaces, we recommend the flexible construction
- Excellent outdoor life and chemical resistance
- Available with OR codes
- Multiple mounting options available including adhesive or grommets
- Custom sizes, colors, and legends available



Anodized Aluminum Signs

Anodized Aluminum Signs identify critical equipment in both indoor & outdoor environments. They can also be used to show maintenance instructions, operating procedures, characteristics of a piece of equipment, and warn of potential danger.

- Legend provides excellent contrast
- Custom sizes, colors, and legends available

OVERPRESSURIZING TO OPEN
WHEN PUMPING TO ISP
TAMPER - 3
NORMALLY OPEN

Don't see the sign you need? Go custom!

Reach out to us today, we will design any custom sign to meet your specific needs.





Enameled Aluminum Signs

Enameled Aluminum Signs are used to identify critical equipment, show maintenance instructions, operating procedures, and warn of potential danger.

- Available in both black and white enameled aluminum
- White enameled signs recommended for indoor use only. Add UV Overlaminate or Rugged-Kote for outdoor use
- Black enamel can be used indoors/outdoors
- Comes with standard 3/16" mounting holes (adhesive available)
- Custom sizes, colors, and legends available



Engraved Plastic Signs

These bright and durable engraved plastic signs can be used for in-house maintenance programs, machinery numbering, building graphics, and door signs.

- Engraving provides high contrast between letter color and background color for easy visibility
- For indoor or outdoor applications
- Standard signs are engraved on 1/16" plastic with mounting holes or adhesive backing
- 1/8" and 1/16" thick 3 ply available
- Excellent resistance to harsh environments
- Custom sizes, colors, and legends available

FED FROM: HSDB 3A3 AHU 3-14

MS-215 GHS Signs

GHS Signs communicate information about possible health & safety situations, chemicals, and environments to facility personnel.

- Perfect for indoor or outdoor environments
- Flexible or rigid material available
- Excellent resistance to harsh environments
- Custom sizes, colors, and legends available



Operational & Safety Signs

Operational & Safety Signs provide plant personnel with necessary information regarding hazard & equipment identification and operating procedures. A variety of pre-set legends are available. Material options are either MS-215 rigid, MS-900 self-adhesive, or enameled aluminum.

- High-performance MS-215 Rigid Signs are the ideal choice for outdoor and harsh environments. (Available with grommets or adhesive)
- MS-900 Self-Adhesive Signs are ideal for indoor environments not subject to washdown chemicals (Add UV Overlaminate for outdoor use)



	215R	900
7"x12"	80000	82000
10"x14"	80001	82001
12"x20"	80002	82002

DANGER **AUTHORIZED PERSONNEL** ONLY

	215R	900
7"x12"	80003	82003
10"x14"	80004	82004
12"x20"	80005	82005



	215R	900
7"x12"	80006	82006
10"x14"	80007	82007
12"x20"	80008	82008



	215R	900
7"x12"	80009	82009
10"x14"	80010	82010
12"x20"	80011	82011



7"x12" 80012 82012 10"x14" 80013 82013		215R	900
	7"x12"	80012	82012
12"20" 00014 02014	10"x14"	80013	82013
12 X2U 8UU14 82U14	12"x20"	80014	82014



	215R	900
7"x12"	80015	82015
10"x14"	80016	82016
12"x20"	80017	82017



	215R	900
7"x12"	80018	82018
10"x14"		82019
12"x20"	80020	82020



	215R	900
7"x12"	80021	82021
10"x14"	80022	82022
12"x20"	80023	82023



	215R	900
7"x12"	80024	82024
10"x14"	80025	82025
12"x20"	80026	82026



215R	900
80027	82027
80028	82028
80029	82029
	80027 80028



	215R	900
7"x12"	80030	82030
10"x14"	80031	82031
12"x20"	80032	82032



	215R	900
7"x12"	80033	82033
10"x14"	80034	82034
12"x20"	80035	82035







	215R	900
7"x12"	80039	82039
10"x14"	80040	82040
12"x20"	80041	82041



	215R	900
7"x12"	80042	82042
10"x14"	80043	82043
12"x20"	80044	82044



	215R	900
7"x12"	80045	82045
10"x14"	80046	82046
12"x20"	80047	82047



	215R	900
7"x12"	80048	82048
10"x14"	80049	82049
12"x20"	80050	82050



	215R	900
7"x12"	80051	82051
10"x14"	80052	82052
12"y20"	80053	82053







	215R	900
7"x12"	80057	82057
10"x14"	80058	82058
12"x20"	80059	82059

DANGER

PERSONAL

PROTECTIVE EQUIPMENT MUST BE WORN IN THIS AREA

80075

82075



	215R	900
7"x12"	80060	82060
10"x14"	80061	82061
12"x20"	80062	82062

DANGER

SULFURIC ACID

EYE PROTECTION AND PROTECTIVE CLOTHING REQUIRED

10"x14" 80079

12"x20" 80080

80078 82078

82079

DANGER	
NO SMOKING	ì

	215R	900
7"x12"	80063	82063
10"x14"	80064	82064
12"x20"	80065	82065



	215R	900
'x12"	80066	82066
)"x14"	80067	82067
"\20"	80068	82068

DANGER

WATCH OUT FOR FORKLIFT TRAFFIC IN THIS AREA

215R

10"x14" 80085

7"x12" 80084 82084

12"x20" 80086 82086

900

82085



	215R	900
7"x12"	80069	82069
10"x14"	80070	82070
12"x20"	80071	82071

DANGER

WEAR FACE SHIELDS AND GLOVES WHEN UNLOADING CHEMICALS

215R

10"x14" 80088

7"x12" 80087 82087

82088



	215R	900
7"x12"	80072	82072
10"x14"	80073	82073
12"x20"	80074	82074

UTHORIZE	D	EYE	AND E	٩R
CAUTION		CA	UTIC)N
x20" 80074 82	074 12	2"x20"	80077	8207
x14" 80073 82	073 10)"x14"	80076	8207

7"x12"

	• • • • • •	
	215R	900
7"x12"	80090	82090
10"x14"	80091	82091
12"v20"	80092	82092

PERSONNEL

ONLY

CAUTION
EYE AND EAR
PROTECTION MUST BE
WORN IN THIS AREA

	215R	900
7"x12"	80093	82093
10"x14"	80094	82094
12"x20"	80095	82095

NOTICE |

HARD HATS

MUST BE WORN

IN THIS AREA

215R 7"x12" 80108 82108 10"x14" 80109 82109 12"x20" 80110 82110



	215R	900
7"x12"	80096	82096
10"x14"	80097	82097
12"x20"	80098	82098



	215R	900
7"x12"	80111	82111
10"x14"	80112	82112
12"x20"	80113	82113



AUIC	AUTOMATIOALLI	
	215R	900
7"x12"	80081	82081
10"x14"	80082	82082
12"x20"	80083	82083

CAUTION
CAUTION
HARD HAT
HAND HAI
ΔRFΔ

	215R	900
7"x12"	80099	82099
10"x14"	80100	82100
12"x20"	80101	82101



	215R	900
7"x12"	80099	82099
10"x14"	80100	82100
12"x20"	80101	82101



	215R	900
7"x12"	80114	82114
10"x14"	80115	82115
12"x20"	80116	82116



	215R	900
7"x12"	80102	82102
10"x14"	80103	82103
12"x20"	80104	82104

EMERGENCY
SAFETY SHOWER

	215R	900
7"x12"	80117	82117
10"x14"	80118	82118
12"x20"	80119	82119



NOTICE

ELECTRICAL

Arc Flash Labels

These labels provide electricians and staff with information to maintain plant & personnel safety. Completely customizable for your specific application.

2 Nameplates

Our Nameplates are offered in a variety of different materials for different electrical labeling needs. We have options to conform to regulatory & international guidelines, or completely custom options to meet your needs.

Switch & Cover Plates

Our Switch & Cover Plates are the ideal option for marking all of your controls, circuits, and switches. Completely customizable to provide critical electrical information based on your specifications.

Conduit & Cable Markers

Provides labeling options for all electrical connections, including circuit numbers and source & designation of conduits and cables.

5. Cable Tray Markers

These markers are designed to allow you to label and identify junctions, branches, and trays leading to equipment.



PACK-BY BINDERS

Save time and labor by using our Pack-By Service & Binders to pre-sort your labels.

Organizing electrical labels on the job site can be difficult and lead to wasted time and money figuring out which labels need to go where. With Pack-By Binders, all of your labels will arrive in a binder that has been pre-sorted to your specifications prior to delivery.

Electrical labels can be sorted by:

- Building
- Floor
- Room
- Label type
- Application

Your binder will arrive accurately labeled with the different criteria that your labels need to be sorted by. Available labels for packaging include:

- Wire Markers
- Circuit Labels
- Electrical ID
- Custom labels



Tabs show exactly where the labels should be applied.



Binders are labeled by the specified sorting logic for easy storage and identification. of application.



Interested in learning more? Reach out to us today!





MS-900 Self-Adhesive Arc Flash Labels

MS-900 Self-Adhesive Arc Flash Labels are designed to mark switchboards, panel boards, industrial control panels, meter socket enclosures, and motor control centers that require examination, adjustment, servicing, or maintenance while energized. All labels include a safety header and alert symbol.

- Made of premium-grade material with an acrylic pressure-sensitive adhesive
- Labels can be preprinted with custom information provided by the customer (must provide PDF artwork created to size)
- Labels comply with NFPA 70E, NEC Section 110, and OSHA safety requirements
- Add UV Overlaminate for outdoor use



MS-478 Self-Adhesive Arc Flash Labels

These premium Arc Flash Labels are custom printed with the information and safety header for your specific application. All labels include a safety header and alert symbol. Other information can include incident energy (cal/cm2), hazard category, PPE required, and boundary distances. These labels comply with the NFPA, NEC, and OSHA requirements.

- Made of pre-printed 2 mil. thick polyester
- Add UV Overlaminate for outdoor use
- Labels can be pre-printed with custom information provided by the customer (must provide PDF artwork created to size)

Need Solar Labels? See Our Solar Section on **Page 40**



MS-215 Nameplates

- · Excellent outdoor life and chemical resistance
- Flexible or rigid material available
- Complete printing flexibility each unique nameplate can include multiple lines of text, equipment number, operation and maintenance instructions, safety precautions, or other critical asset information
- Available with adhesive or grommets
- Custom colors, sizes, and legends available
- Double sided tags available



Engraved Plastic Nameplates

- Engraved legend provides high contrast between letter color and background color for easy visibility
- Excellent for in-house maintenance programs, building graphics, and door signs
- For indoor and outdoor applications
- Standard nameplates are engraved on 1/16" plastic with mounting holes or adhesive backing
- 1/8" and 1/16" thick 3 ply available
- Custom colors, sizes, and legends available



Stainless Steel Nameplates

Stainless Steel Nameplates are designed to withstand frequent wash downs or chemical cleanings, machinery that runs at high temperatures, and highly corrosive or caustic environments. This makes them an excellent choice for electrical labeling in harsh operating environments such as ammonia facilities, offshore rigs, and power generation. The black text is engraved for visibility as well as durability.

- Can be used indoors and outdoors
- Black engraved text
- Custom sizes and legends available

MSB-01-A1 4000A 480/227V 3O, 4W FROM: TX-01-A1 SUPPLY: LTG PB 1-4

MS-478 Labels

MS-478 Labels are ideal for recording equipment information and settings with easy-to-read legends.

- Made from 2 mil. thick polyester
- · Add UV Overlaminate for outdoor use
- Custom colors, sizes, and legends available

A/C SOUTH
208/120V 3Ø
FED FROM DP HUB
FED FROM DP HUB



Plastic and Stainless Steel Switch & Cover Plates

Plastic and Stainless Steel Switch & Cover Plates can be engraved and color filled making them the ideal option for identifying important circuits such as those connected to emergency backup power. Customized switch plates take the mystery out of your switches by identifying critical electrical information based on your specifications.

- Multiple lines of text available
- Engraving allows for a wide variety of font choices
- Text height based on number of characters and available space
- No minimum order quantity
- For stainless steel engraved plates, our service leaves a tactile finish so that in the event of a fire, plate identification is still legible
- We can supply plates or work with your existing ones



Rotary Switch Plates

Mark all of your controls with our switch plates for smooth, mistake-free operations. Available in all standard switch configurations. Plates are made from 1/16" engraved plastic.





MS-970 Coiled Data Conduit & Cable Markers

Ideal for data centers, these markers are designed to efficiently and effectively mark, organize, and control the complex conduit found in data transmission, telecommunications, fiber optics, CATV, and electrical systems.

- Semi-rigid coiled markers wrap completely around conduit and remain secure without the use of adhesives
- Available with or without text
- Multiple color bands/color combinations available
- Custom widths available

Style	Conduit Diameter	Marker Width	Pieces per Stick
Α	1/2" - 1"	2"	4
В	11/8" - 21/4"	2"	4
C	23/8" - 31/4"	2"	6
D	33/8" - 41/2"	2"	6
Е	45/8" - 57/8"	2"	6



MS-995 Coiled Data Conduit & Cable Markers

MS-995 Coiled Data Conduit & Cable Markers are an excellent choice in harsh indoor or outdoor environments. These coils use color and/or text to communicate important information regarding service, end-user, or origin of conduit.



- Coils are sized to fit completely around the circumference of the conduit and adhere to themselves
- Constructed with UV Overlaminate, these markers provide maximum protection from UV and chemical exposure

Style	Conduit Diameter	Marker Width
Α	Up to 1"	2"
В	11/8" - 21/4"	2"
D	21/2" - 43/4"	2"
E	5" - 71/8"	2"



Stainless Steel Conduit & Cable Markers

Engraved Type 316 Stainless Steel Conduit & Cable Markers are designed for the highly corrosive environments of pharmaceutical manufacturing, petrochemical facilities, and other harsh environments. Markers are strapped onto cable using stainless steel or nylon strapping (page 60).





MS-900 Self-Adhesive Conduit & Cable Markers

MS-900 Self-Adhesive Conduit & Cable Markers are designed for labeling conduit, panel boxes, circuit breakers, and connections to equipment.

- Black text on orange labels provide a highly visible warning of potential electrical hazards
- Self-adhesive material ensures a durable, long-lasting indoor marker
- Custom legends and colors available
- ½" x 2½" labels are supplied/priced ten markers per sheet

120 VOLTS

110 VOLTS

MS-970 Coiled Conduit & Cable Markers

MS-970 Coiled Conduit & Cable Markers are designed to eliminate the confusion of tightly packed conduit and cable. The coiled design allows them to quickly snap around conduit or cable, clearly identifying voltages or functions. The durable material allows for maximum life in an indoor environment.

- Indoor use only
- No adhesive necessary



Style	Diameter
A	1/2" - 1"
В	11/8" - 21/4"
C	23/8" - 31/4"
D	33/8" - 41/2"
E	45/8" - 57/8"

Use this chart for MS-970 Part #'s

Order MS-970 Pipe Markers

- Determine the four-digit part number from the table for each legend (column 5)
- Use the marker style table above to determine appropriate size and add corresponding letter to end of part #
- Example: The marker "110 Volts" for 2" diameter would be part number 9780B
- Contact us for custom markers



MS-900 Self-Adhesive Vinyl Box Labels

MS-900 Self-Adhesive Viny Box Labels are constructed using 4 mil. thick premium grade thermoplastic film with permanent acrylic pressure-sensitive adhesive. Designed for a wide variety of substrates and can be used for many general electrical labeling needs.


- Add UV Overlaminate for outdoor use
- Designed for smooth, flat surfaces
- Can be furnished individually or pre-cut in sheet form



Self-Laminating Wire Markers

Self-Laminating Wrap Around Wire and Terminal Markers are premium outdoor grade clear material with an acrylic pressure-sensitive adhesive. They are used to provide branch circuit or feeder numbers for power and lighting circuits and system color-coding.

- Can be pre-printed in custom colors including clear
- Text height based on wire size
- · Markers come in sheets
- Quantity of markers per sheet dependent on size



Heat Shrink Wire Markers

Heat Shrink Wire and Terminal Markers are designed to provide branch circuit or feeder numbers for power and lighting circuits and system color-coding.

- Installation can be done with any heat gun
- Standard marker color is black text on white background
- Custom colors and legends available

MSI-3108-015

MS-264 Engraved Plastic Cable Markers

Ideal for labeling electrical cables in control panels, these markers display engraved legends that are easily legible. They are designed with a matte finish, beveled edges, and notches for secure installation using standard 50 lb. cable ties.

- Engraved plastic material has excellent resistance to harsh environments
- Can replace phenolic material
- Custom sizes, colors, and legends available





MS-215 Cable Tray Markers

These Cable Tray Markers are constructed of printed graphics sealed between layers of chemical resistant plastic. The durable material provides excellent resistance to harsh environments.

- Flexible or rigid material available
- Can be used indoors/outdoors
- Excellent resistance to UV exposure, abrasion, water, and harsh chemicals
- Flexible material is able to be mounted on curved surfaces
- Custom sizes, colors, and legends available



MS-478 Cable Tray Markers

MS-478 Cable Tray Markers are the ideal solution for identifying smoothsided cable trays. Add UV Overlaminate for maximum protection against UV exposure and chemicals.

- · Self-adhesive
- Easy installation with minimal surface preparation
- Custom sizes, colors, and legends available

CAB-015-200

MS-900 Self-Adhesive Cable Tray Markers

These markers are designed to allow you to label and identify junctions, branches, and trays leading to equipment. The self-adhesive material conforms to the shape of your tray and is easily applied with minimal preparation. Add UV Overlaminate for maximum protection against UV exposure and chemicals.

AL3-050-215

- Excellent option for indoor labeling
- Custom sizes, colors, and legends available



See our full electrical product offerings

FIRE PROTECTION

Fire ID Pipe Markers

These markers are used to identify the fire protection piping. The coiled design allows for easy installation by wrapping around the pipe and self-sealing.

Fire ID Labels & Signs

Fire ID Labels & Signs provide crucial information for access doors and fire risers & sprinklers to assist personnel in emergency response.



MS-970 Coiled Pipe Markers

MS-970 Coiled Pipe Markers are constructed of semi-rigid material and are designed to identify piping in a wide variety of environments, especially in applications where the pipe surface is rough, oily, or wet. They stay in place on pipes due to the memory of the coiling process and do not rely on adhesives. Complies with ANSI/ASME A13.1.

- For pipe 6" in diameter and larger, use nylon straps to secure the plastic marker around the pipe
- Straps included



Pipe Diameter	Marker Style	Marker Width	Character Height	Marker Type
1/4" - 3/8"	TM	3"	1/4"	Coiled
1/2" - 1"	Α	8"	1/2"	Coiled
11/8" - 21/4"	В	8"	3/4"	Coiled
23/8" - 31/4"	C	12"	11/4"	Coiled
33/8" - 41/2"	D	12"	11/4"	Coiled
45/8" - 51/8"	E	12"	11/4"	Coiled
6" - 71/8"	F	12"	11/4"	Strap-On
8" - 10"	G	24"	21/2"	Strap-On
Over 10"	Н	34"	31/2"	Strap-On

Legend	Color	Part #
FIRE PROTECTION WATER	RED	9826
FIRE SPRINKLER WATER	RED	9736

MS-900 Self-Adhesive Fire Damper & Access Door Labels

Use MS-900 labels to identify the fire protection piping and fire damper access doors.

- Self-adhesive labels simply adhere to the surface with minimal preparation
- Labels can be customized to designate the specific system or zone
- Sizes and colors comply with the NFPA Standard




FIRE/SMOKE DAMPER

Legend		Size	Color	Part #
FIRE DAMPER ACCESS DO	OR	3" x 3"	RED	67000
FIRE/SMOKE DAMPER ACCESS DOOR		3" x 3"	RED	67001
Legend	Color	1" x 8"	2¼" x 13	" 4" x 24"
FIRE DAMPER	RED	91433	92433	93433
FIRE/SMOKE DAMPER	RED	91434	92434	93434
FIRE PROTECTION WATER	RED	91142	92142	93142
FIRE SPRINKLER WATER	RED	91143	92143	93143

MS-900 Self-Adhesive Fire Riser & Sprinkler Labels

- Identifies each riser to isolate for testing/maintenance
- Highly visible white on red printing provides quick identification for fire departments or in-house personnel
- Mark branch lines from control valve to isolate branch and eliminate the need to shut down the entire main header



Engraved Plastic Access Door Signs

- Engraving provides high contrast between letter color and background color for easy visibility
- Standard tags are engraved on 1/16" plastic with mounting holes or adhesive backing
- Custom sizes, colors, and legends available



White Enameled Aluminum Fire ID Signs

White Enameled Aluminum Fire ID Signs identify critical equipment and locations. The enameled background makes an easy to read and aesthetically pleasing equipment sign.

- Variety of mounting options available
- Custom sizes, colors, and legends available
- Add UV Overlaminate or Rugged-Kote for outdoor use







See our full fire protection product offerings





SOLAR

Solar Placards

Solar Placards are designed to withstand the harshest environments. Available in engraved plastic, MS-900 self-adhesive, or MS-215 material, they can be completely customized to meet project specifications.

2 Solar Sitemaps

Used to map out the equipment and layout of a solar site. These highly customized sitemaps are made with the exact specifications provided to us.

Solar Wire Markers

Used for labeling wires and terminals. These are an excellent choice for color-coding, identifying, and differentiating wires on a site.

Solar Labels & Signs

Available in multiple materials, our Solar Labels & Signs have a variety of pre-set or custom options. From job site information to warnings, these labels and signs are an excellent choice for any photovoltaic labeling.

*For Arc Flash Labels see Page 30

MS-215 Rigid Solar Placards

MS-215 Rigid Solar Placards are the ideal choice for photovoltaic labeling on your next solar project. They are constructed of printed graphics sealed between layers of chemical resistant plastic. The top layer is a durable thermoplastic that provides excellent resistance to process chemicals, protection from abrasion, and functions as a UV filter to prevent fading of printing and graphics.

- Excellent outdoor life and chemical resistance
- Available with QR codes
- Adhesive mounting
- Custom sizes, colors, and legends available



AND ENERGIZED.

MS-215 Rigid "Warning" Solar Placards

MS-215 Rigid "Warning" Solar Placards are the ideal choice for photovoltaic labeling on your next solar project. They are constructed of printed graphics sealed between layers of chemical resistant plastic. The top layer is a durable thermoplastic that provides excellent resistance to process chemicals, protection from high impact, and

functions as a UV filter to prevent fading of printing and graphics.

Fixed "Warning" header



Engraved Plastic Solar Placards

These durable placards are an excellent choice for photovoltaic labeling. The engraved legend provides excellent contrast against the background of the placard. Placards come with adhesive backing and surface preparation is recommended before application.

- Excellent outdoor life and abrasion resistance
- Adhesive mounting
- Custom sizes, colors, and legends available

PHOTOVOLTAIC SYSTEM **EQUIPPED WITH RAPID SHUTDOWN**

Engraved Plastic "Warning" Solar Placards

These durable placards are an excellent choice for photovoltaic labeling. The engraved legend provides excellent contrast against the background of the sign. Placards can be used indoor or outdoor and come with adhesive backing. Surface preparation is recommended before application.






MS-215 Solar Sitemaps

Used to map out the equipment and layout of a solar site. These highly customizable sitemaps are extremely durable and can be made to exact specifications.

- Excellent outdoor life and chemical resistance
- Available with QR codes
- Custom sizes and colors available
- Manufactured with a customer provided PDF



Engraved Plastic Solar Sitemaps

Used to map out the equipment and layout of a solar site. These highly customizable sitemaps are extremely durable and can be made to exact specifications. The engraved design provides a durable option for long-term use.


- Engraved legend provides excellent contrast against the background of the sitemap
- Excellent outdoor life and abrasion resistance
- Custom sizes and colors available
- Manufactured with a customer provided PDF



MS-900 Self-Adhesive Solar Sitemaps

Used to map out the equipment and layout of a solar site. These highly customizable sitemaps are extremely durable and can be made to exact specifications.


- · UV Overlaminate included for outdoor use
- Easy installation with minimal surface preparation
- Custom sizes and colors available
- Manufactured with a customer provided PDF



Self-Laminating Solar Wire Markers

Self-Laminating Wrap Around Wire and Terminal Markers are made from premium outdoor-grade clear material with an acrylic pressure-sensitive adhesive. They are used to provide branch circuit or feeder numbers for power and lighting circuits and system color-coding.

- Can be pre-printed in custom colors including clear
- Text height based on wire size
- Markers come in sheets
- Quantity of markers per sheet depends on size



Heat Shrink Solar Wire Markers

Wire and Terminal Markers are designed to provide branch circuit or feeder numbers for power and lighting circuits and system color-coding.

- Installation can be done with any heat gun
- Standard marker color is black text on white background
- Custom colors and legends available

MSI-3108-015

MS-215 MV Cable Labels

These MS-215 MV Cable Labels are constructed of printed graphics sealed between layers of chemical resistant plastic. The durable and flexible design allows for mounting on curved surfaces.

- Flexible material
- Excellent resistance to UV exposure, abrasion, water, and harsh chemicals
- Custom sizes, colors, and legends available
- Reflective material available






MS-900 Self-Adhesive Solar Labels

MS-900 Self-Adhesive Solar Labels with UV Overlaminate are an excellent choice for photovoltaic labeling. The self-adhesive design allows for easy installation with limited surface preparation. The UV Overlaminate gives great outdoor durability and extended life.

- · Self-adhesive
- Custom sizes, colors, and legends available
- NEC compliant



MS-900 "Warning" Self-Adhesive Solar Labels

Available in a variety of pre-set or custom options with a fixed "Warning" header. They can be easily installed with minimal surface preparation. Labels come with standard UV Overlaminate, protecting them from UV exposure and making them a durable option for outdoor labeling needs.

- Self-adhesive
- Variety of pre-set legends
- Custom sizes, colors, and legends available
- NEC compliant



Aluminum Solar Signs

These custom signs are ideal for keeping a job site safe and informed. Each sign comes coated with our high-performance proprietary and environmentally friendly Rugged-Kote surface treatment, making them a great outdoor sign. Signs come standard with 4 corner holes, allowing them to be easily attached to fences or gates with a fastener. Other mounting options available upon request.

- Easy installation
- Optional hog rings available for mounting
- Custom sizes, colors, and legends available



Residential Solar Labeling Kits

Get all your NEC-compliant solar labels in our photovoltaic Solar Labeling Kits. Our premium-grade thermoplastic self-adhesive labels with a UV Overlaminate are an excellent choice for residential labeling. The self-adhesive design allows for easy installation with limited surface preparation and the UV Overlaminate gives great outdoor durability and extended service life.

Available in 2020, 2017, and 2011 colors
























AMMONIA

Ammonia Pipe Markers

Available in our MS-900 or MS-995 material, these IIAR-Compliant markers are ideal for cold storage areas or any other ammonia environment.

2. Component Markers

Available in MS-215 or MS-900 material, these durable Component Markers are an IIAR-Compliant solution to label your ammonia equipment.

CO2 Pipe Markers

Available in our MS-900 or MS-995 material, these markers are ideal for cold storage areas or any other CO2 environment.

Ammonia Signs

Made with our MS-215 material these charts and signs are designed to withstand harsh ammonia environments and keep your personnel safe and informed.

Ammonia Refrigeration Marker Layout

1

2

2

3 AMMONIA

Each marker has five information parts

- 1. Ammonia Piping Abbreviation Section
- 2. Physical State: LIQ (Orange or Yellow) and/or VAP (Blue)
- 3. Ammonia: Black letters on Orange or Yellow background
- 4. Pressure Level: Green = LOW (70 PSIG or less) RED = HIGH (greater than 70 PSIG)
- 5. Directional arrow (printed on marker) scored



MS-995 Coiled & Curved Carrier Ammonia Markers

These maximum performance pipe markers can stand up to high heat, harsh chemicals, and direct exposure to sunlight, which makes them an excellent choice for an ammonia environment.

- Construction provides proven protection from effects of direct sunlight
- Pipe markers can be removed or reinstalled
- Pre-coiled pipe markers install easily by wrapping completely around pipe and affixing to themselves (not the pipe surface) with a sealing strip, eliminating the need for surface preparation
- Available in yellow and safety orange per the revised ANSI/IIAR 2-2021.
- The MF, MJ, and M markers consist of a legend label applied to a durable carrier. Markers are attached to pipes using stainless steel straps (see **page 62**). They are designed for easy installation and high visibility on rooftop or elevated piping
- Locking tool for coil straps available for purchase (see page 63)

Legend	Part #	Abbv	State	Pres
BOOSTER DISCHARGE	3101	BD	VAP	LOW
CONDENSER DRAIN	3102	CD	LIQ	HIGH
DEFROST CONDENSATE ECONOMIZER SUCTION	3116 3118	DC	LIQ/VAP VAP	HIGH LOW
EQUALIZER	3117	ES EQ	VAP	HIGH
FOUL GAS	3119	FĞ	VAP	LOW
FOUL GAS	3131	FĞ	VAP	HIGH
HIGH PRESSURE LIQUID	3104	HPL	LIQ	HIGH
HIGH STAGE DISCHARGE	3105	HSD	VAP	HIGH
HIGH STAGE SUCTION HIGH TEMP RECIRCULATED LIQUID	3106 3107	HSS HTRL	VAP LIQ	LOW
HIGH TEMP RECIRCULATED EIQUID	3107	HTRS	LIQ/VAP	LOW
HIGH TEMP SUCTION	3120	HTS	VAP	LOW
HOT GAS	3121	HĞ	VAP	ĦĬĠĦ
HOT GAS DEFROST	3103	HGD	VAP	HIGH
LIQUID DRAIN	3122	LD	LIQ	LOW
LIQUID INJECTION COOLING	3123 3124	LIC LT	LIQ LIQ	HIGH LOW
LIQUID TRANSFER LOW STAGE SUCTION	3109	LSS	VAP	LOW
LOW TEMP RECIRCULATED LIQUID	3110	LTRL	ĽĬŎ	LOW
LOW TEMP RECIRCULTED SUCTION	3111	LTRS	LIQ/VAP	LOW
LOW TEMP SUCTION	3125	LTS	VAP	LOW
MEDIUM TEMP RECIRCULATED LIQUID	3126	MTRL	LIQ	LOW
MEDIUM TEMP RECIRCULATED SUCTION		MTRS MTS	LIQ/VAP VAP	LOW
MEDIUM TEMP SUCTION PUMP OUT	3128 3129	PO	VAP	LOVV
PURGE LINE	3130	PL	VAP	HIGH
RELIEF VENT	3112	ŔV	VAP	HIĞH
RELIEF VENT	3113	RV		
THERMOSYPHON RETURN	3114	TSR	LIQ/VAP	HIGH



Outside Diameter (Including Insulation)	Marker Style	Marker Width (around pipe)	Marker Length (along pipe)
Up to 11/4"	Α	5"	8"
3/4" - 2"	В	9"	8"
2" - 21/2"	C	12"	12"
23/4" - 43/4"	D	17"	12"
5" - 71/8"	E	26"	12"

Outside Diameter (Including Insulation)	Marker Style	Carrier Size	Label Height
3/4" - 17/8"	MJ	2.2" x 10"	1½" x 9"
2" - 71/8"	MF	31/2" x 17"	21/2" x 16"
8" and up	M	5" x 33"	4½" x 32"

Use this chart for MS-995 Carrier Pipe Markers




MS-900 Self-Adhesive Ammonia Pipe Markers With UV Overlaminate

The premium self-adhesive material allows these markers to be installed with minimal surface preparation. The scored arrow conveniently eliminates the need to determine direction of flow prior to ordering. Follows the revised ANSI/IIAR 2-2021.

- Available without UV Overlaminate for indoor use
- Custom legends, sizes, and bands available

Legend	Part #	Abbv	State	Pres
BOOSTER DISCHARGE	3017 TO	BD	VAP	LOW
CONDENSER DRAIN	3001 TO	CD	LIQ	HIGH
DEFROST CONDENSATE	3002 TO	DC	LIQ/VAP	
ECONOMIZER SUCTION EQUALIZER	3018 TO 3003 TO	ES EQ	VAP VAP	LOW HIGH
FOUL GAS	3003 TO 3019 TO	FG	VAP	LOW
HIGH PRESSURE LIQUID	3005 TO	HPL	LIO	HIGH
HIGH STAGE DISCHARGE	3006 TO	HSD	VAP	HIGH
HIGH STAGE SUCTION	3007 TO	HSS	VAP	LOW
HIGH TEMP RECIRCULATED LIQUID	3008 TO	HTRL	LIQ	LOW
HIGH TEMP RECIRCULATED SUCTION	3009 TO	HTRS	LIQ/VAP	LOW
HIGH TEMP SUCTION HOT GAS	3020 TO 3021 TO	HTS HG	VAP VAP	LOW HIGH
HOT GAS HOT GAS DEFROST	3004 TO	HGD	VAP	HIGH
LIQUID DRAIN	3022 TO	LD	ĽĺQ̈́	LOW
LIQUID INJECTION COOLING	3023 TO	LIC	LIQ	HIGH
LIQUID TRANSFER	3024 TO	LT	LIQ	LOW
LOW STAGE SUCTION	3010 TO	LSS	VAP	LOW
LOW TEMP RECIRCULATED LIQUID LOW TEMP RECIRCULTED SUCTION	3011 TO 3012 TO	LTRL LTRS	LIQ LIQ/VAP	LOW
LOW TEMP SUCTION	3025 TO	LTS	VAP	LOW
MEDIUM TEMP RECIRCULATED LIQUID	3026 TO	MTRL	LIO	LOW
MEDIUM TEMP RECIRCULATED SUCTION	3027 TO	MTRS	ĪIQ/VAP	LOW
MEDIUM TEMP SUCTION	3028 TO	MTS	VAP	LOW
PUMP OUT	3029 TO	PO	\	
PURGE LINE RELIEF VENT	3030 TO 3013 TO	PL RV	VAP	HIGH
RELIEF VENT	3013 TO 3014 TO	RV	VAP	HIGH
THERMOSYPHON RETURN	3014 TO	TSR	LIQ/VAP	
	551515		_1 < 7 * 7 * 11	



MS-900 Self-Adhesive Component Markers With UV Overlaminate

IIAR-Compliant Component Markers include black letters on a yellow or orange background with a high or low-pressure band.

- Available without UV Overlaminate for indoor use
- Easy installation with minimal surface preparation
- Recommended sizing is 4" x 8", 4" x 16", and 4" x 32" with 2½" text height
- Custom sizing available



MS-215 Component Markers

IIAR-Compliant Component Markers include black letters on a yellow or orange background with a high or low-pressure band. Available in flexible or rigid material with adhesive or magnetic backing.

- MS-215 material provides excellent resistance to harsh environments
- Can be used on a variety of surfaces including curved
- Recommended sizing is 4" x 8", 4" x 16", and 4" x 32" with 2½" text height
- Custom sizing available





MS-995 Curved Carrier CO2 Pipe Markers

These maximum-performance pipe markers are designed for use in harsh environments where chemicals and UV exposure are prevalent, making them an ideal choice for CO2 environments. The curved shape improves durability and helps to reduce direct exposure to sunlight. This strap-on style marker has 2 slotted nylon feet that secure the marker to the pipe. Stainless steel strapping is recommended for mounting. See mounting options on **page 62.**

- Custom legends available
- Can be removed & reinstalled when insulating or painting
- Consider insulation when selecting size of pipe diameter
- For sizing see chart on page 47

MS-995 Coiled CO2 Pipe Markers

These maximum-performance pipe markers stand up to high heat, harsh chemicals, and direct exposure to sunlight, which makes them an excellent choice for a CO2 environment. The semi-rigid coiled design allows them to be easily installed with no surface preparation, as the marker wraps completely around the pipe and adheres to itself with a sealing strip.

- Custom legends and bands available
- Can be removed and reinstalled when insulating or painting
- Consider insulation when selecting size of pipe diameter
- For sizing see chart on page 47

MS-900 Self-Adhesive CO2 Pipe Markers With UV Overlaminate

Ideal for cold storage areas, these markers are made from a premium self-adhesive material that allows them to be easily installed with proper surface preparation. The scored arrow conveniently eliminates the need to determine the direction of flow prior to ordering.

- Available without UV Overlaminate for indoor use
- Custom legends, sizes, and bands available
- Consider insulation when selecting size of pipe diameter
- For sizing see chart on page 48





MS-215 Rigid Auxiliary/Principal Door Signs

Auxiliary/Principal Door Signs are placed at all entrances to machinery rooms. These signs are specifically designed to provide a clear hazard warning for employees in food processing plants, mills, and cold storage facilities. Designed with MS-215 rigid material to withstand harsh environments.

- Follow ANSI/IIAR 2-2008 standards (including Addendum A) for the identification of piping, valves, and components
- Can be used indoors/outdoors
- NFPA Diamond standard sizing is 12" x 12"
- Mounting options include adhesive back or 4 corner grommets
- Custom sizes, colors, and legends available



Legend	Part #
3,3,0	65507
3,1,0	65508



Size Part # 6"x10" 65405 7"x12" 65505



Size Part # 6"x10" 65404 7"x12" 65504

REFRIGERATION MACHINERY ROOM AUTHORIZED PERSONNEL ONLY

Size Part #

6"x10" 65402 7"x12" 65502



Size Part # 6"x10" 65406 7"x12" 65506

REFRIGERATION MACHINERY ROOM SHUT DOWN EMERGENCY USE ONLY BREAK GLASS TO PUSH BUTTON

Size Part # 6"x10" 65403 7"x12" 65503

WHEN ALARMS ARE ACTIVATED AMMONIA HAS BEEN DETECTED 1. LEAVE ROOM IMMEDIATELY 2. DO NOT ENTER EXCEPT BY TRAINED & AUTHORIZED PERSONNEL 3. DO NOT ENTER WITHOUT PERSONAL PROTECTIVE SOURMENT

Size Part # 6"x10" 65401 7"x12" 65501

MS-300 Signs

MS-300 Signs are constructed by subsurface printing on a tough, transparent, thermoplastic material. MS-300 products are suitable for labeling in an FDA compliant environment. They hold up well to radiation and chemical sterilization techniques and are ideal for food & beverage environments.

- · Excellent chemical and water resistance
- Can be used in chemical wash down systems (CIP systems)
- Designed for indoor use



MS-215 Rigid Ammonia Wall Charts

These PSM approved Ammonia Wall Charts convey information that appears on ammonia labels used in your facility.

- MS-215 material provides excellent resistance to harsh environments
- Can be used indoors/outdoors
- Orange and yellow options available
- Custom colors, sizes, and legends available



MS-215 Rigid Refrigeration Contractor Signs

PSM approved Contractor Signs are used to convey critical information concerning contractor contact information, chemicals, and other information like design pressures and total system charge in lbs.

- Custom sliders can be requested for frequent text and content changes
- Can be used indoors/outdoors
- MS-215 material provides excellent resistance to harsh environments
- Multiple mounting options available (see **page 60**)



MS-215 Ammonia Tank & Vessel Signs

These signs are designed to name each tank and vessel. The rigid material is extremely durable and is mounted using our heavy-duty adhesive.

- MS-215 material provides excellent resistance to harsh environments
- Can be used indoors/outdoors
- Multiple mounting options available (see page 60)
- Customizable







MS-215 Rigid Control Bank Signs

MS-215 Rigid Control Bank Signs are used to identify control stations & valve groups within facilities and provide critical information for safe and efficient ammonia system operations.

- MS-215 material provides excellent resistance to harsh environments
- Can be used indoors/outdoors
- Custom colors, sizes, and legends available
- Multiple mounting options available





MS-215 Multi-Port Valve Tags

Use to identify various ports of your multi-port valves. MS-215 Multi-Port Valve Tags provide crucial information regarding inlet, outlet, bypass, drain, and recirculation functions.

- MS-215 material provides excellent resistance to harsh environments
- Available in both rigid & flexible material
- Can be used indoors/outdoors
- 3, 4, 5, 6, & 7 port layouts available
- Custom colors, sizes, and legends available
- · Multiple mounting options available




Stainless Steel Multi-Port Valve Tags

Use to identify various ports of your multi-port valves and provide crucial information regarding inlet, outlet, bypass, drain, and recirculation functions. These tags are designed to withstand frequent wash downs or chemical cleanings, high temperatures, and highly corrosive or caustic environments.

- Black engraved text for visibility & durability
- Can be used indoors/outdoors
- 3, 4, 5, 6, & 7 port layouts available
- Custom sizes and legends available
- Multiple mounting options available





*For additional tagging options, see page 19

MARINE & OFFSHORE

Pipe Markers

Designed to withstand direct sunlight, saltwater, and chemicals, our premium coiled and carrier pipe markers are the ideal choice for a marine & offshore environment.

2. Safety Boards


Safety Boards provide critical information regarding hazard & equipment identification, operating procedures, and evacuation & escape procedures.

Equipment Tags & Signs

Equipment Tags & Signs are an integral part of any safety system that aims to reduce the risk related to spills, accidents, and injuries from improper use within the installation.

IMO & Egress Safety Signs

Specifies important safety and operational information to on-board personnel in a direct manner to provide faster user response time. Our IMO & Egress Signs are photoluminescent providing critical information in the event of an emergency where low-light visibility is needed.



Specializing in regulatory compliance solutions for global standards (US Coast Guard, NORSOK, Mexico NORMS, Brazil NR, etc.), we have established a standardized signage system that communicates effective safety information to people who travel and work on-board ships and other marine installations.

We have the capability to do offshore gap analysis surveys to ensure that your installation is operationally ready.



MS-995 Coiled & Carrier Marine & Offshore Pipe Markers

MS-995 Pipe Markers are maximum performance pipe markers that stand up to high heat, harsh chemicals, and direct exposure to sunlight, which makes them an excellent choice for a marine & offshore environment.

- Specifies content, To/From information, and directional flow
- Color-coded for easy identification
- Construction provides proven protection from effects of direct sunlight
- Negates galvanic corrosion
- Service temperature range from -40° F to 250° F
- Eliminates need for pipe surface preparation
- · Can be removed and reinstalled
- High temperature and oversized markers are also available
- 5+ years expected outdoor durability

MS-995 Pre-Coiled Pipe Marker

MS-995 Pre-Coiled Pipe Markers install easily by wrapping completely around pipe and affixing to themselves (not the pipe surface) with a sealing strip. Recommended use on insulated pipes.

MS-995 Carrier Pipe Marker

These markers consist of a legend label applied to a durable carrier. Markers are attached to larger diameter pipes using coated stainless steel straps. See mounting options on **page 60**. They are designed for easy installation and high visibility on elevated piping. Recommended for use on uninsulated pipes.






Operation & Instruction Boards

Operation & Instruction Boards are imperative to convey mandatory warning and prohibition messages to ensure safe work practices. Designed with MS-215R, MS-215F, or Aluminum Composite material, they can be magnetic backed, magnetic receptive, or dry erase.


- Custom design and sizing available
- Indoor or outdoor use
- Material can vary
- Custom sizes available
- Dual language sliders/solutions available



Communication Boards

Communication Boards communicate and inform all crew on board of health and safety policies. Designed with MS-215R, MS-215F, or Aluminum Composite material, they can be magnetic backed, magnetic receptive, or dry erase.

- · Custom design and sizes available
- Perfect for multi-language sites
- Indoor or outdoor use



Compartment Boards

Compartment Boards are installed at compartment entrances and exists throughout your facility. Use to consolidate pictograms and safety & warning signs. Designed with MS-215R, MS-215F, or Aluminum Composite material, they can be magnetic backed, magnetic receptive, or dry erase.

- Custom design and sizes available
- Perfect for multi-language sites
- Indoor or outdoor use





MS-215 Carrier Equipment Tags

- Excellent outdoor life and chemical resistance
- Available with QR codes
- Designed for easy installation and high visibility
- Curved design is ideal for utilization on curved surfaces
- Custom sizes, colors, and legends available
- See page 21 for stainless steel, MS-215, and other tag options



MS-215 Rigid & Flexible Equipment Signs

MS-215 Signs can be used in a variety of ways including naming and numbering tanks, vessels, or pieces of equipment.


- Excellent outdoor life and chemical resistance
- Available with OR codes
- Multiple mounting options available including adhesive, grommets, or strapping
- Custom sizes, colors, and legends available





Stainless Steel T-Card Box with Muster Board

Located at lifeboat & raft muster stations. These signs are designed to provide assembly points and designate personnel to muster in case of an emergency.




T-CARD BOX 72 SLOTS

Regulatory Signs

These durable Regulatory Signs are perfect for multi-language sites and are required by the U.S Coast Guard for security purposes on offshore facilities. Designed with MS-215R, MS-215F, or Aluminum Composite material, they can be magnetic backed, magnetic receptive, or dry erase.

- Custom design and sizes available
- Indoor/outdoor use



IMO Signs - Fire Control Equipment Signs

Use to identify fire control equipment onboard ships and as part of the IMO Required Fire Plan these signs will clearly identify fire control equipment in the event of a total loss of light. Available in outdoor grade MS-215 Rigid Photoluminescent or MS-960 Self-Adhesive Photoluminescent Material.

- MS-215 material provides excellent outdoor life and chemical resistance
- Comply with IMO/SOLAS requirements
- Contact us for more Fire Control Equipment Sign options



























International Safety - Firefighting Signs

Use to identify firefighting equipment, these signs quickly convey crucial information on multi-language sites. Available in outdoor grade MS-215 Rigid Photoluminescent or MS-960 Self-Adhesive Photoluminescent Material.

- MS-215 material provides excellent outdoor life and chemical resistance
- Contact us for more Fire Fighting Sign options



International Safety - Mandatory Pictograms

Use to provide mandatory PPE information to staff and visitors on multi-language sites. Available in outdoor grade MS-215 Rigid Photoluminescent or MS-960 Self-Adhesive Photoluminescent Material.

- MS-215 material provides excellent outdoor life and chemical resistance
- Contact us for more Mandatory Pictogram options












Contact us to learn more about our full IMO & egress sign offerings



IMO Signs - Evacuation & Escape

Use to identify essential evacuation and escape routes. Available in outdoor grade MS-215 Rigid Photoluminescent or MS-960 Self-Adhesive Photoluminescent Material.

- MS-215 material provides excellent outdoor life and chemical resistance
- Comply with IMO/SOLAS requirements
- Contact us for more Evacuation & Escape Sign options



International Safety - Safe Condition Signs

Safe Condition Signs are used to show locations for safety equipment, eye wash stations, and safety showers. Available in outdoor grade MS-215 Rigid Photoluminescent or MS-960 Self-Adhesive Photoluminescent Material.

- MS-215 material provides excellent outdoor life and chemical resistance
- Contact us for more Safe Condition Sign options





Mounting Options

Our tag & sign mounting options are designed for a variety of our identification products. These user-friendly, durable products ensure your label stays securely in place.

Stainless Steel Swage Sleeves

Stainless Steel Swag Sleeves come in type 316 stainless steel making them a durable mounting option.

- Part #15746
- 100 per bag
- Use with Stainless Steel Braided Wire Coil part #15747

Stainless Steel Braided Wire

Type 316 Stainless Steel Braided Wire for fastening labels.

- Part #15747
- Supplied in 100 ft. rolls
- Use Stainless Steel Swage Sleeves for fastening part #15746



Stainless Steel Braided Wire With Swage Sleeve

Stainless steel type 316 braided wire/crimp combination with pre-attached crimp.

- Part #15750
- Crimps to itself
- 10" long



Zinc Snap Hook Fasteners

These fasteners are an easy way to open and close snap hooks, used for installing valve tags.


- Part #15798
- 100 per box



Brass & Stainless Steel Jack Chain

Available in brass or stainless steel, these durable jack chains are designed for fastening tags.

- Brass part #15760
- Stainless Steel part #15761
- Packed 50 ft. per box to hang approximately 60 tags



Brass & Stainless Steel Bead Chain

Available in brass or stainless steel, bead chains are designed for fastening tags.

- Brass part #15765
- Stainless Steel part #15766
- Comes in 4½" lengths including locking link
- 100 lengths per bag









Available in copper or stainless steel wire, Lead Meter Seals are a fast and permanent way to attach valve tags.

- Supplied in 10" lengths
- 100 lengths per pack
- Stainless steel part #15797



Used with stainless steel banding to mount signs or pipe markers onto piping or tanks.

Hardware included



Valve Chart Frame

Aluminum valve chart frames for holding 8½" x 11" valve charts.

- Plastic or glass lens available
- Plastic Lens part #15790
- Glass Lens part #15791

Your Text Here

Construction Adhesive

Heavy duty adhesive that fits most caulk guns.

- Part #15769
- Comes in a 10.2 oz tube



Nylon Cable Ties

Nylon Cable Ties are a simple quick way to attach pipe markers, signs, and valve & equipment tags.

- Supplied in standard 8" lengths
- 36" and 48" lengths available for use with MS-970 Pipe Markers
- 100 ties per bag



Brass & Stainless Steel "S" Hooks

Available in brass or stainless steel, these sturdy and easy to close hooks are for attaching valve tags.

- Brass part #15770
- Stainless Steel part #15767
- 100 hooks per bag





Strapping

Our strapping options are designed for a variety of our identification products. These durable products are crafted with high-quality materials and are built to withstand demanding environments.

Pre-Cut Stainless Steel Strapping

Cut-to-length stainless steel straps are durable and ideal for highly corrosive or other harsh environments. These straps come with attached locking head, no clips required.

- 1/4" wide straps
- Use with locking tool part #15715

Part #	Pipe Diameter	Size
15704	Up to 2 ½"	10"
15707	3" - 4 ³ / ₄ "	16.5"
15710	5" - 8"	35"
15711	9"-12"	47"
15712	13" - 18"	60"

Pre-Cut Coated Stainless Steel Strapping

Coated 1/4" wide stainless steel strapping with attached clips are designed for harsh environments where protection against potential galvanic reaction between dissimilar metals is required.

- Cut-to-length
- Use with carrier style markers
- Use with locking tool part #15716

Part #	Pipe Diameter	Size
15703	Up to 2 ½"	16"
15700	3" - 4 3/4"	24"
15701	5" - 8"	33"
157014	9"-12"	46"
157016	13" - 18"	65"

Coil of Strapping

Coil of Strapping is made from durable 3/8" wide stainless steel. Ideal for corrosive or other harsh environments.

- 200 ft. coil of ¾" wide stainless steel
- Part #15729
- Locking Clip part #15734 and Locking Tool part #15716 available for ease of installation
- Use for attaching carrier pipe markers



Coated Coil of Strapping

Coated Stainless Steel Strapping is used for attaching carrier pipe markers and is ideal for corrosive or other harsh environments.

- 100 ft. coil of 1/4" wide stainless steel
- Part #15727
- Locking Clip part #15728 and Locking Tool part #15716 available for installation



Locking Clips for Strap

These stainless steel locking clips are designed to be used with coiled strapping.

- Packaged 100 per bag
- 3/8" size for uncoated strap use part #15734
- 1/4" size for coated strap use part #15728



Tools

These variety of tools are designed to make labeling installation an efficient, easy process. When used with our mounting and/or strapping products you can be assured your labels will be installed correctly and remain intact.

Sealing Press

Sealing Press is designed for sealing lead meter seals.

- Part #15796
- For use with lead meter seals (part #15797 or part #15795)



Crimp Tool

This Crimp Tool can be used during the installation of many markers, tags, and signs to crimp 10" wire crimp combo.

- Part #15749
- Use with Wire Crimp Combo part #15750 and part #15747 wire with part #15746 crimp (swag sleeve)



Cable Wire Cutter

Use to cut wire during the installation of markers, tags, and signs.

Part #15748



Locking Tool for Coil Strap

Use to tighten and lock stainless steel banding during installation.

Part #15716



Locking Tool for Coil Strap

Use to tighten and lock pre-cut stainless steel banding during installation.

Part #15715





Notes

Notes



